






























Deemed-to-Comply Luminaire Schedule Form (CIS-ENG-F006)











TYPE	IMAGE	MANUFACTURER / DISTRIBUTOR	NAME	MOUNTING	DALI DIMMABLE	ORIGIN	LEAD TIME (WEEKS)
TP		Harcroft	TB-T5 2x28W T5 LOR 73% 73 lm/W	T-bar Recessed Prismatic Diffuser	Yes	Australia	4
TP		Harcroft	PF-T5 2x28W T5 LOR 71.5% 71 lm/W	Plaster Recessed Prismatic Diffuser	Yes	Australia	4
SP		Harcroft	AL-T5 2x28W T5 LOR 67.7% 67 lm/W	Surface Mounted Prismatic Diffuser	Yes	Australia	4
TP, SP		Eagle	Flexitroffer 2x28W T5 LOR 76% 76 lm/W	Recessed & Surface Mounted Prismatic Diffuser	Yes	Australia	4
TL		Harcroft	CRF 2x28W T5 LOR 71.5% 71 lm/W	T-bar and Plaster Recessed Louvres	Yes	Australia	4
SL		Harcroft	CSF 2x28W T5 LOR 90.6% 90 lm/W	Surface mounted Louvres	Yes	Australia	4
TL, SL		Eagle	Multifive 2x28W T5 LOR 92% 92 lm/W	T-bar and Plaster Recessed & Surface Mounted Louvres	Yes	Australia	4
TL, SL		LTS/JSB Lighting 45mmWx60mmH	LK45 3000lm/M	Recessed/surface /Suspended T5	Yes	Germany	4
TL, SL		LTS/JSB Lighting 70mmWx80mmH or 110mmWx80mm H	LK70 2100lm- 4200lm/M	Recessed/surface /Suspended T5	Yes	Germany	4
TL		Targetti Australia	101 MP 2x28W T5	T Bar Recessed Double Parabolic Louvres	Yes	EU	6













TYPE	IMAGE	MANUFACTURER / DISTRIBUTOR	NAME	MOUNTING	DALI DIMMABLE	ORIGIN	LEAD TIME (WEEKS)
SL		Targetti Australia	MIVA HDP 2x28W T5	Surface Mounted Double Parabolic Louvres	Yes	EU	6
SL		Pierlite	Futcha 5 2x28W T5 LOR 88% 88 lm/W	Surface Mounted Low Brightness Louvres	Yes	Australia	4
TI		Eagle	Enviro 2x28W T5 LOR 80% 80 lm/W	T-bar Recessed Low Glare Delta Diffuser	Yes	Australia	4
TI		Eagle	Fagerhult Indigo Combo 2x28W T5 LOR 88% 88 lm/W	T-bar Recessed Low Brightness and Louvres	Yes	Australia	4
TI		Zumtobel	Mellowlight 5 1x28W T5 & 2x28W T5 74 lm/W	Recessed T-bar or plaster	Yes (DALI or non- dimming)	Australia	4
TLed		Zumtobel	Mellowlight 5 LED Linear 1200x300 2700lm Square 600x600 2400lm	Recessed T -bar or plaster	Yes (DALI or non- dimming)	Australia	4
TLed		Zumtobel	Mellowlight5 1x40W TC-L Square 600x600mm	Recessed T-bar or plaster	Yes (DALI or non- dimming)	Australia	4
SI, SP		Limelite / Jadecross	Limelite Linear 28W LED 1970 lumen 74 lm/W	Surface Mounted Prismatic Diffuser or Louvres 1200 mm	Yes	Australia	3
TLed		Limelite / Jadecross	Limelite Linear series 28W LED 1970 lumen 74 lm/W	T-bar Recessed Prismatic Diffuser or Louvres 1200mm	Yes	Australia	3
TLed		Limelite / Jadecross	Limelite Linear LED 28W LED 1970 lumen 74 lm/W	Plaster Recessed Prismatic Diffuser 1200mm	Yes	Australia	3

TYPE	IMAGE	MANUFACTURER / DISTRIBUTOR	NAME	MOUNTING	DALI DIMMABLE	ORIGIN	LEAD TIME (WEEKS)
TLed		Zumtobel	Thorn Sustain3 LED 1200x300 103 lm/w	Recessed plaster or Tbar	DALI Or non dimming	Australia	3-4
TLed		Eagle	Vertex 29W LED 2300 lumen 80 lm/W	Recessed & Surface Mounted Prismatic Diffuser 1200mm	Yes	Australia	4
BPLed		Limelite / Jadecross	Limelite Schoolies 28W LED 2090 lumen 74 lm/W	Surface Mounted Opal diffuser	Yes	Australia	3
BP		Harcroft	SLD-T5 2x28W T5	Surface Mounted & Suspended Wrap-around Prismatic Diffuser, SRS Reflector	Yes	Australia	4
BP		Pierlite	High 5 DE4 2x28W T5 LOR 83% 83 lm/W	Surface Mounted Wrap-around Prismatic Diffuser	No	Australia	4
BP		Pierlite	EP236H Prismatic 2x28W T5 LOR 77% 77 lm/W	Surface Mounted Wrap-around Prismatic Diffuser	No	Australia	4
B		Harcroft	SLD-T5 2x28W T5	Surface Mounted, Chain Suspended Bare tubes	Yes	Australia	4
B		Pierlite	High 5 BE4 2x28W T5 LOR 87% 87 lm/W	Surface Mounted, Chain Suspended Bare tubes	Yes	Australia	4
WPLed		Eagle	Densus Weatherproof 36W LED 4460 lumen 97 lm/W	Surface Mounted Weatherproof	Yes	Australia	4










TYPE	IMAGE	MANUFACTURER / DISTRIBUTOR	NAME	MOUNTING	DALI DIMMABLE	ORIGIN	LEAD TIME (WEEKS)
WP		Harcroft	CW-T5 Weatherproof 2x28W T5 LOR 91.9% 92 lm/W	Surface Mounted Weatherproof	Yes	Australia	4
WP		Pierlite	BWP/T5 Weatherproof 2x28W T5 LOR 100% 100 lm/W	Surface Mounted Weatherproof	Yes	Australia	4
LABLED		Eagle	Clean room IP44 46W LED 3380 lumen 73 lm/W	Plaster Recessed Totally enclosed Prismatic Diffuser	Yes	Australia	4
LAB		Eagle	Clean room IP44 2x28W T5 LOR 70% 70 lm/W	Plaster Recessed Totally enclosed Prismatic Diffuser	Yes	Australia	4
LAB		Harcroft	PFD Series Dustproof 2x28W T5 LOR 65% 65 lm/W	Plaster Recessed Totally Enclosed Prismatic Diffuser	Yes	Australia	4
LAB		Pierlite	Lablight IP54 2x28W T5 LOR 71% 71 lm/W	T-Bar or Plaster Recessed Totally Enclosed Prismatic Diffuser	Yes	Australia	4
DLed		Gamma Illumination	1192 IP65 18W LED 125mm dia. 1900 lumen 70 lm/W	Recessed LED Down light	Yes	Australia	3
DLed		Zumtobel	Credos 27W LED 150mm dia. 2000 lumen 77 lm/W	Recessed LED Down light	Yes	China	2
DLed		Fagerhult / Eagle	Pleiad SLD G3 150 dia 22W LED 1580 lumen 62 lm/W	Recessed LED Down light	Yes	Sweden / Australia	3
DLed		LTS/JSB Lighting	CSALP40 / 60 29w 82.76lm/w 2400lm 115mm / 134mm	Recessed LED Down light	Yes	Germany	4






TYPE	IMAGE	MANUFACTURER / DISTRIBUTOR	NAME	MOUNTING	DALI DIMMABLE	ORIGIN	LEAD TIME (WEEKS)
DLed		LTS/JSB Lighting	Topas 24w 83.6lm/w 2008lm 182mm	Recessed LED Down light	Yes	Germany	4
DLed		Versalux	Como DLMI 27W LED 210mm dia. 2000 lumen 70 lm/W	Recessed LED Down light	Yes	Australia / Italy/ China	3
DLed		ELS / Jadecross	ADL150 25W LED 150mm dia. 1662 lumen 65 lm/W	Recessed LED Down light	Yes	Australia	3
DLed		Zumtobel	Panos Infinity HM 23W LED 150mm dia 1640 lumen 71 lm/W	Recessed LED Down light	DALI	Australia +Austria	2
DLed		Targetti Australia	CCT LED SMART 25W LED 140mm dia. 2454 lumen	Recessed LED Down light	Yes	Italy	6
SLed		Fagerhult / Eagle	Pleiad SLD G3 180 dia 22W LED 1580 lumen 62 lm/W	Surface Mounted LED Down light	Yes	Sweden	12 Sea Freight
SELED		Linea-Lite/ JadeCross	Beam B100 LED 17W LED 2200 lm/m	Suspended and Plaster Recessed Square Alumin. Extruded	Yes	Australia	6
SELED		Klik Systems 66Wx87H	85 Beam LED+ 22W LED 2150 lm/m	Suspended and Surface mounted Rectangular Alumin. Extruded	Yes	Australia	6
SELED		Klik Systems 113Wx113H	110 Beam LED+ 22W LED 2150 lm/m	Suspended and Surface mounted Rectangular Alumin. Extruded	Yes	Australia	6
SELED		Austube 83Wx80H	Aus 80 AUS80GSSQ 28/54W LED	Suspended or Recessed Rectangular Alumin. Extruded	Yes	Australia	6



TYPE	IMAGE	MANUFACTURER / DISTRIBUTOR	NAME	MOUNTING	DALI DIMMABLE	ORIGIN	LEAD TIME (WEEKS)
SELed		Austube 53Wx52H	Aus 50 AUS50GSSQ 28/54W LED	Suspended or Recessed Rectangular Alumin. Extruded	Yes	Australia	3
SELed		Gamma Illumination 110wx100H	1074 Series 42W LED (6x7W) 3105 lumen 73 lm/W	Suspended, Recessed & Surface Mounted Rectangular Alumin. Extruded	Yes	Austria	4
SELed		Zumtobel	Tecton RGL optic 1x28W T5 2007 lumen 66 lm/W	Surface Mounted & Suspended Rectangular Alumin. Extruded	Yes	Austria	4 (by Air) 12 (by sea)
SELed		Zumtobel	Tecton LED Basic 47W LED 5194 lumen 111 lm/W	Surface Mounted & Suspended Rectangular Alumin. Extruded	Yes	Australia / Germany	4
SELed		Versalux	2EM-T5 2x28W T5	Suspended Metal Trunking Louvres or Prismatic Diffuser	Yes	Australia	4
WP-Led		enLighten	Chamaele- on III Standard and Emergency	Surface Mounted	No	Australia	4
WP-Led		enLighten	Chamaele- on II 10 Chip Standard and Emergency	Surface Mounted	No	Australia	4



**DEEMED-TO-COMPLY EXTERIOR POLE MOUNTED LUMINAIRES**

TYPE	IMAGE	MANUFACTURER / DISTRIBUTOR	NAME	MOUNTING	PE & PIR SENSOR CONTROL	ORIGIN	LEAD TIME (WEEKS)
PLed		Kim Lighting / JSB Lighting	Bounce LED	Pole or Wall mounted	Yes	USA	12
PLed		Kim Lighting / JSB Lighting	Mini Bounce LED	Pole or Wall mounted	Yes	USA	12
PLed		Kim Lighting / JSB Lighting	Small Archetype 66W LED	Pole or Wall mounted	Yes	USA	12

\* Denotes the colour of luminaires: Grey for the heritage luminaires around the Quadrangle and Black for the Kim Bounce luminaire.