

Research outcomes from the BTRC: 2000 – 2020.

2020

- Brenner, E., Tiwari, G. R., Kapoor, M., Liu, Y., Brock, A., & Mayfield, R. D. (2020). Single cell transcriptome profiling of the human alcohol-dependent brain. *Human Molecular Genetics*, 29(7), 1144-1153. <https://www.ncbi.nlm.nih.gov/pubmed/32142123>
- Casanova Ferrer, F., Pascual, M., Hidalgo, M. R., Malmierca-Merlo, P., Guerri, C., & Garcia-Garcia, F. (2020). Unveiling Sex-Based Differences in the Effects of Alcohol Abuse: A Comprehensive Functional Meta-Analysis of Transcriptomic Studies. *Genes (Basel)*, 11(9). <https://www.ncbi.nlm.nih.gov/pubmed/32967293>
- Dai, Y., Hu, R., Pei, G., Zhang, H., Zhao, Z., & Jia, P. (2020). Diverse types of genomic evidence converge on alcohol use disorder risk genes. *Journal of Medical Genetics*, 57(11), 733-743. <https://www.ncbi.nlm.nih.gov/pubmed/32170004>
- Gatta, E., Guidotti, A., Saudagar, V., Grayson, D. R., Aspesi, D., Pandey, S. C., & Pinna, G. (2020). Epigenetic regulation of GABAergic neurotransmission and neurosteroid biosynthesis in alcohol use disorder. *International Journal of Neuropsychopharmacology*. <https://www.ncbi.nlm.nih.gov/pubmed/32968808>
- Halloran, M., Ragagnin, A. M. G., Vidal, M., Parakh, S., Yang, S., Heng, B., . . . Atkin, J. D. (2020). Amyotrophic lateral sclerosis-linked UBQLN2 mutants inhibit endoplasmic reticulum to Golgi transport, leading to Golgi fragmentation and ER stress. *Cell Mol Life Sci*, 77(19), 3859-3873. <https://www.ncbi.nlm.nih.gov/pubmed/31802140>
- Lai, D., Wetherill, L., Kapoor, M., Johnson, E. C., Schwandt, M., Ramchandani, V. A., . . . Schuckit, M. (2020). Genome-wide association studies of the self-rating of effects of ethanol (SRE). *Addiction Biology*, 25(2), e12800. <https://www.ncbi.nlm.nih.gov/pubmed/31270906>
- Lena, P. D., Sala, C., Prodi, A., & Nardini, C. (2020). Methylation data imputation performances under different representations and missingness patterns. *BMC Bioinformatics*, 21(1), 268. <https://www.ncbi.nlm.nih.gov/pubmed/32600298>
- Liu, W., Vetreno, R. P., & Crews, F. T. (2020). Hippocampal TNF-death receptors, caspase cell death cascades, and IL-8 in alcohol use disorder. *Molecular Psychiatry*. <https://www.ncbi.nlm.nih.gov/pubmed/32139808>
- McCann, E. P., Fifita, J. A., Grima, N., Galper, J., Mehta, P., Freckleton, S. E., . . . Yang, S. (2020). Genetic and immunopathological analysis of CHCHD10 in Australian amyotrophic lateral sclerosis and frontotemporal dementia and transgenic TDP-43 mice. *J Neurol Neurosurg Psychiatry*, 91(2), 162-171. <https://www.ncbi.nlm.nih.gov/pubmed/31690696>
- Petralia, M. C., Mazzon, E., Mangano, K., Fagone, P., Di Marco, R., Falzone, L., . . . Cavalli, E. (2020). Transcriptomic analysis reveals moderate modulation of macrophage migration inhibitory factor superfamily genes in alcohol use disorders. *Experimental and Therapeutic Medicine*, 19(3), 1755-1762. <https://www.ncbi.nlm.nih.gov/pubmed/32104230>
- Phan, K., He, Y., Pickford, R., Bhatia, S., Katzeff, J. S., Hodges, J. R., . . . Kim, W. S. (2020). Uncovering pathophysiological changes in frontotemporal dementia using serum lipids. *Scientific Reports*, 10(1), 3640. <https://www.ncbi.nlm.nih.gov/pubmed/32107421>

- Schank, J. R., Lee, S., Gonzalez-Islas, C. E., Nennig, S. E., Fulenwider, H. D., Chang, J., . . . Choi, I. (2020). Increased Alcohol Consumption in Mice Lacking Sodium Bicarbonate Transporter NBCn1. *Scientific Reports*, *10*(1), 11017. <https://www.ncbi.nlm.nih.gov/pubmed/32620847>
- Sergeeva, O. A., Chepkova, A. N., Gorg, B., Rodrigues Almeida, F., Bidmon, H. J., Haas, H. L., & Haussinger, D. (2020). Histamine-induced plasticity and gene expression in corticostriatal pathway under hyperammonemia. *CNS Neuroscience & Therapeutics*, *26*(3), 355-366. <https://www.ncbi.nlm.nih.gov/pubmed/31571389>
- Tran, C., Heng, B., Teo, J. D., Humphrey, S. J., Qi, Y., Couttas, T. A., . . . Don, A. S. (2020). Sphingosine 1-phosphate but not Fingolimod protects neurons against excitotoxic cell death by inducing neurotrophic gene expression in astrocytes. *Journal of Neurochemistry*, *153*(2), 173-188. <https://www.ncbi.nlm.nih.gov/pubmed/31742704>
- Yoshino, Y., Roy, B., & Dwivedi, Y. (2020). Altered miRNA landscape of the anterior cingulate cortex is associated with potential loss of key neuronal functions in depressed brain. *European Neuropsychopharmacology*, *40*, 70-84. <https://www.ncbi.nlm.nih.gov/pubmed/32600964>
- 2019**
- Bhatia, S., Kim, W. S., Shepherd, C. E., & Halliday, G. M. (2019). Apolipoprotein D Upregulation in Alzheimer's Disease but Not Frontotemporal Dementia. *Journal of Molecular Neuroscience*, *67*(1), 125-132. <https://www.ncbi.nlm.nih.gov/pubmed/30467822>
- Bohnsack, J. P., Teppen, T., Kyzar, E. J., Dzitoyeva, S., & Pandey, S. C. (2019). The lncRNA BDNF-AS is an epigenetic regulator in the human amygdala in early onset alcohol use disorders. *Transl Psychiatry*, *9*(1), 34. <https://www.ncbi.nlm.nih.gov/pubmed/30728347>
- Cederholm, J. M. E., Kim, Y., von Jonquieres, G., & Housley, G. D. (2019). Human Brain Region-Specific Alternative Splicing of TRPC3, the Type 3 Canonical Transient Receptor Potential Non-Selective Cation Channel. *Cerebellum*, *18*(3), 536-543. <https://www.ncbi.nlm.nih.gov/pubmed/30887370>
- Crews, F. T., Robinson, D. L., Chandler, L. J., Ehlers, C. L., Mulholland, P. J., Pandey, S. C., . . . Vetreno, R. P. (2019). Mechanisms of Persistent Neurobiological Changes Following Adolescent Alcohol Exposure: NADIA Consortium Findings. *Alcoholism, Clinical and Experimental Research*, *43*(9), 1806-1822. <https://www.ncbi.nlm.nih.gov/pubmed/31335972>
- Ferguson, L. B., Patil, S., Moskowitz, B. A., Ponomarev, I., Harris, R. A., Mayfield, R. D., & Messing, R. O. (2019). A Pathway-Based Genomic Approach to Identify Medications: Application to Alcohol Use Disorder. *Brain Sci*, *9*(12). <https://www.ncbi.nlm.nih.gov/pubmed/31888299>
- Gatta, E., Grayson, D. R., Auta, J., Saudagar, V., Dong, E., Chen, Y., . . . Guidotti, A. (2019). Genome-wide methylation in alcohol use disorder subjects: implications for an epigenetic regulation of the cortico-limbic glucocorticoid receptors (NR3C1). *Molecular Psychiatry*. <https://www.ncbi.nlm.nih.gov/pubmed/31239533>
- Gorg, B., Karababa, A., Schutz, E., Paluschinski, M., Schrimpf, A., Shafiqullina, A., . . . Haussinger, D. (2019). O-GlcNAcylation-dependent upregulation of HO1 triggers ammonia-induced oxidative stress and senescence in hepatic encephalopathy.

- Journal of Hepatology*, 71(5), 930-941.
<https://www.ncbi.nlm.nih.gov/pubmed/31279900>
- Hansson, A. C., Grunder, G., Hirth, N., Noori, H. R., Spanagel, R., & Sommer, W. H. (2019). Dopamine and opioid systems adaptation in alcoholism revisited: Convergent evidence from positron emission tomography and postmortem studies. *Neurosci Biobehav Rev*, 106, 141-164. <https://www.ncbi.nlm.nih.gov/pubmed/30243576>
- Hardwick, S. A., Bassett, S. D., Kaczorowski, D., Blackburn, J., Barton, K., Bartonicek, N., . . . Mattick, J. S. (2019). Targeted, High-Resolution RNA Sequencing of Non-coding Genomic Regions Associated With Neuropsychiatric Functions. *Front Genet*, 10, 309. <https://www.ncbi.nlm.nih.gov/pubmed/31031799>
- Jia, T., Chu, C., Liu, Y., van Dongen, J., Papastergios, E., Armstrong, N. J., . . . Desrivieres, S. (2019). Epigenome-wide meta-analysis of blood DNA methylation and its association with subcortical volumes: findings from the ENIGMA Epigenetics Working Group. *Molecular Psychiatry*. <https://www.ncbi.nlm.nih.gov/pubmed/31811260>
- Kapoor, M., Wang, J. C., Farris, S. P., Liu, Y., McClintick, J., Gupta, I., . . . Goate, A. (2019). Analysis of whole genome-transcriptomic organization in brain to identify genes associated with alcoholism. *Transl Psychiatry*, 9(1), 89. <https://www.ncbi.nlm.nih.gov/pubmed/30765688>
- Lee, J. S., Kanai, K., Suzuki, M., Kim, W. S., Yoo, H. S., Fu, Y., . . . Lee, S. J. (2019). Arylsulfatase A, a genetic modifier of Parkinson's disease, is an alpha-synuclein chaperone. *Brain*, 142(9), 2845-2859. <https://www.ncbi.nlm.nih.gov/pubmed/31312839>
- Lu, K., Zimmermann, M., Gorg, B., Bidmon, H. J., Biermann, B., Klocker, N., . . . Reichert, A. S. (2019). Hepatic encephalopathy is linked to alterations of autophagic flux in astrocytes. *EBioMedicine*, 48, 539-553. <https://www.ncbi.nlm.nih.gov/pubmed/31648987>
- O'Rourke, M. B., Smith, C. C., De La Monte, S. M., Sutherland, G. T., & Padula, M. P. (2019). Higher Mass Accuracy MALDI-TOF/TOF Lipid Imaging of Human Brain Tissue in Alzheimer's Disease. *Current Protocols in Molecular Biology*, 126(1), e86. <https://www.ncbi.nlm.nih.gov/pubmed/30735313>
<https://currentprotocols.onlinelibrary.wiley.com/doi/pdfdirect/10.1002/cpmb.86?download=true>
- Paasila, P. J., Davies, D. S., Kril, J. J., Goldsbury, C., & Sutherland, G. T. (2019). The relationship between the morphological subtypes of microglia and Alzheimer's disease neuropathology. *Brain Pathology*, 29(6), 726-740. <https://www.ncbi.nlm.nih.gov/pubmed/30803086>
- Purves-Tyson, T. D., Weber-Stadlbauer, U., Richetto, J., Rothmond, D. A., Labouesse, M. A., Polesel, M., . . . Meyer, U. (2019). Increased levels of midbrain immune-related transcripts in schizophrenia and in murine offspring after maternal immune activation. *Molecular Psychiatry*. <https://www.ncbi.nlm.nih.gov/pubmed/31168068>
- Rao, X., Thapa, K. S., Chen, A. B., Lin, H., Gao, H., Reiter, J. L., . . . Liu, Y. (2019). Allele-specific expression and high-throughput reporter assay reveal functional genetic variants associated with alcohol use disorders. *Molecular Psychiatry*. <https://www.ncbi.nlm.nih.gov/pubmed/31477794>
- Shao, Z., Noh, H., Bin Kim, W., Ni, P., Nguyen, C., Cote, S. E., . . . Chung, S. (2019). Dysregulated protocadherin-pathway activity as an intrinsic defect in induced pluripotent stem cell-derived cortical interneurons from subjects with schizophrenia.

Nature Neuroscience, 22(2), 229-242.

<https://www.ncbi.nlm.nih.gov/pubmed/30664768>

Stevens, C. H., Guthrie, N. J., van Roijen, M., Halliday, G. M., & Ooi, L. (2019). Increased Tau Phosphorylation in Motor Neurons From Clinically Pure Sporadic Amyotrophic Lateral Sclerosis Patients. *J Neuropathol Exp Neurol*, 78(7), 605-614.

<https://www.ncbi.nlm.nih.gov/pubmed/31131395>

Strohaker, T., Jung, B. C., Liou, S. H., Fernandez, C. O., Riedel, D., Becker, S., . . . Zweckstetter, M. (2019). Structural heterogeneity of alpha-synuclein fibrils amplified from patient brain extracts. *Nat Commun*, 10(1), 5535.

<https://www.ncbi.nlm.nih.gov/pubmed/31797870>

Weissleder, C., Barry, G., Fung, S. J., Wong, M. W., Double, K. L., Webster, M. J., & Weickert, C. S. (2019). Reduction in IGF1 mRNA in the Human Subependymal Zone During Aging. *Aging and Disease*, 10(1), 197-204.

<https://www.ncbi.nlm.nih.gov/pubmed/30705779>

Zhu, K., Ou Yang, T. H., Dorie, V., Zheng, T., & Anastassiou, D. (2019). Meta-analysis of expression and methylation signatures indicates a stress-related epigenetic mechanism in multiple neuropsychiatric disorders. *Transl Psychiatry*, 9(1), 32.

<https://www.ncbi.nlm.nih.gov/pubmed/30670680>

2018

Augier, E., Barbier, E., Dulman, R. S., Licheri, V., Augier, G., Domi, E., . . . Heilig, M. (2018). A molecular mechanism for choosing alcohol over an alternative reward. *Science*, 360(6395), 1321-1326. <https://www.ncbi.nlm.nih.gov/pubmed/29930131>

Bazov, I., Sarkisyan, D., Kononenko, O., Watanabe, H., Karpyak, V. M., Yakovleva, T., & Bakalkin, G. (2018). Downregulation of the neuronal opioid gene expression concomitantly with neuronal decline in dorsolateral prefrontal cortex of human alcoholics. *Transl Psychiatry*, 8(1), 122.

<https://www.ncbi.nlm.nih.gov/pubmed/29925858>

Bazov, I., Sarkisyan, D., Kononenko, O., Watanabe, H., Taqi, M. M., Stalhandske, L., . . . Bakalkin, G. (2018). Neuronal Expression of Opioid Gene is Controlled by Dual Epigenetic and Transcriptional Mechanism in Human Brain. *Cerebral Cortex*, 28(9), 3129-3142. <https://www.ncbi.nlm.nih.gov/pubmed/28968778>

Bazov, I., Sarkisyan, D., Kononenko, O., Watanabe, H., Yakovleva, T., Hansson, A. C., . . . Bakalkin, G. (2018). Dynorphin and kappa-Opioid Receptor Dysregulation in the Dopaminergic Reward System of Human Alcoholics. *Molecular Neurobiology*, 55(8), 7049-7061. <https://www.ncbi.nlm.nih.gov/pubmed/29383684>

Coleman, L. G., Jr., Zou, J., Qin, L., & Crews, F. T. (2018). HMGB1/IL-1beta complexes regulate neuroimmune responses in alcoholism. *Brain, Behavior, and Immunity*, 72, 61-77. <https://www.ncbi.nlm.nih.gov/pubmed/29102800>

Couttas, T. A., Kain, N., Tran, C., Chatterton, Z., Kwok, J. B., & Don, A. S. (2018). Age-Dependent Changes to Sphingolipid Balance in the Human Hippocampus are Gender-Specific and May Sensitize to Neurodegeneration. *Journal of Alzheimer's Disease*, 63(2), 503-514. <https://www.ncbi.nlm.nih.gov/pubmed/29660940>

<https://content.iospress.com:443/articles/journal-of-alzheimers-disease/jad171054>

de la Monte, S. M., Kay, J., Yalcin, E. B., Kril, J. J., Sheedy, D., & Sutherland, G. T. (2018). Imaging mass spectrometry of frontal white matter lipid changes in human alcoholics. *Alcohol*, 67, 51-63. <https://www.ncbi.nlm.nih.gov/pubmed/29425959>

- Farris, S. P., Riley, B. P., Williams, R. W., Mulligan, M. K., Miles, M. F., Lopez, M. F., . . . Mayfield, R. D. (2018). Cross-species molecular dissection across alcohol behavioral domains. *Alcohol*, 72, 19-31. <https://www.ncbi.nlm.nih.gov/pubmed/30213503>
- Frohlich, D., Suchowerska, A. K., Voss, C., He, R., Wolvetang, E., von Jonquieres, G., . . . Klugmann, M. (2018). Expression Pattern of the Aspartyl-tRNA Synthetase DARS in the Human Brain. *Frontiers in Molecular Neuroscience*, 11, 81. <https://www.ncbi.nlm.nih.gov/pubmed/29615866>
- Gandal, M. J., Haney, J. R., Parikshak, N. N., Leppa, V., Ramaswami, G., Hartl, C., . . . Geschwind, D. H. (2018). Shared molecular neuropathology across major psychiatric disorders parallels polygenic overlap. *Science*, 359(6376), 693-697. <https://www.ncbi.nlm.nih.gov/pubmed/29439242>
- Godoy, P., Schmidt-Heck, W., Hellwig, B., Nell, P., Feuerborn, D., Rahnenfuhrer, J., . . . Hengstler, J. G. (2018). Assessment of stem cell differentiation based on genome-wide expression profiles. *Philosophical Transactions of the Royal Society of London. Series B: Biological Sciences*, 373(1750). <https://www.ncbi.nlm.nih.gov/pubmed/29786556>
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5974444/pdf/rstb20170221.pdf>
- Hansson, A. C., Koopmann, A., Uhrig, S., Buhler, S., Domi, E., Kiessling, E., . . . Spanagel, R. (2018). Oxytocin Reduces Alcohol Cue-Reactivity in Alcohol-Dependent Rats and Humans. *Neuropsychopharmacology*, 43(6), 1235-1246. <https://www.ncbi.nlm.nih.gov/pubmed/29090683>
- Lohoff, F. W., Sorcher, J. L., Rosen, A. D., Mauro, K. L., Fanelli, R. R., Momenan, R., . . . Kaminsky, Z. A. (2018). Methylomic profiling and replication implicates deregulation of PCSK9 in alcohol use disorder. *Molecular Psychiatry*, 23(9), 1900-1910. <https://www.ncbi.nlm.nih.gov/pubmed/28848234>
- Lum, J. S., Millard, S. J., Huang, X. F., Ooi, L., & Newell, K. A. (2018). A postmortem analysis of NMDA ionotropic and group 1 metabotropic glutamate receptors in the nucleus accumbens in schizophrenia. *Journal of Psychiatry and Neuroscience*, 43(2), 102-110. <https://www.ncbi.nlm.nih.gov/pubmed/29481317>
- Matosin, N., Newell, K. A., Quide, Y., Andrews, J. L., Teroganova, N., Green, M. J., & Fernandez, F. (2018). Effects of common GRM5 genetic variants on cognition, hippocampal volume and mGluR5 protein levels in schizophrenia. *Brain Imaging and Behavior*, 12(2), 509-517. <https://www.ncbi.nlm.nih.gov/pubmed/28405888>
- O'Rourke, M. B., Padula, M. P., Smith, C., Youssef, P., Cordwell, S., Witting, P., . . . Crossett, B. (2018). Optimal Preparation of Formalin Fixed Samples for Peptide Based Matrix Assisted Laser Desorption/Ionization Mass Spectrometry Imaging Workflows. *J Vis Exp*(131). <https://www.ncbi.nlm.nih.gov/pubmed/29364257>
- Parakh, S., Jagaraj, C. J., Vidal, M., Ragagnin, A. M. G., Perri, E. R., Konopka, A., . . . Atkin, J. D. (2018). ERp57 is protective against mutant SOD1-induced cellular pathology in amyotrophic lateral sclerosis. *Human Molecular Genetics*, 27(8), 1311-1331. <https://www.ncbi.nlm.nih.gov/pubmed/29409023>
- Rosen, A. D., Robertson, K. D., Hlady, R. A., Muench, C., Lee, J., Philibert, R., . . . Lohoff, F. W. (2018). DNA methylation age is accelerated in alcohol dependence. *Transl Psychiatry*, 8(1), 182. <https://www.ncbi.nlm.nih.gov/pubmed/30185790>
- Shepherd, C. E., Yang, Y., & Halliday, G. M. (2018). Region- and Cell-specific Aneuploidy in Brain Aging and Neurodegeneration. *Neuroscience*, 374, 326-334. <https://www.ncbi.nlm.nih.gov/pubmed/29432756>

- Toker, L., Mancarci, B. O., Tripathy, S., & Pavlidis, P. (2018). Transcriptomic Evidence for Alterations in Astrocytes and Parvalbumin Interneurons in Subjects With Bipolar Disorder and Schizophrenia. *Biological Psychiatry*, *84*(11), 787-796.
<https://www.ncbi.nlm.nih.gov/pubmed/30177255>
- Vetreno, R. P., Lawrimore, C. J., Rowsey, P. J., & Crews, F. T. (2018). Persistent Adult Neuroimmune Activation and Loss of Hippocampal Neurogenesis Following Adolescent Ethanol Exposure: Blockade by Exercise and the Anti-inflammatory Drug Indomethacin. *Frontiers in Neuroscience*, *12*, 200.
<https://www.ncbi.nlm.nih.gov/pubmed/29643762>
- Youssef, P., Chami, B., Lim, J., Middleton, T., Sutherland, G. T., & Witting, P. K. (2018). Evidence supporting oxidative stress in a moderately affected area of the brain in Alzheimer's disease. *Scientific Reports*, *8*(1), 11553.
<https://www.ncbi.nlm.nih.gov/pubmed/30068908>

2017

- Adkins, A. E., Hack, L. M., Bigdeli, T. B., Williamson, V. S., McMichael, G. O., Mamdani, M., . . . Riley, B. P. (2017). Genomewide Association Study of Alcohol Dependence Identifies Risk Loci Altering Ethanol-Response Behaviors in Model Organisms. *Alcoholism, Clinical and Experimental Research*, *41*(5), 911-928.
<https://www.ncbi.nlm.nih.gov/pubmed/28226201>
- Andrews, J. L., Goodfellow, F. J., Matosin, N., Snelling, M. K., Newell, K. A., Huang, X. F., & Fernandez-Enright, F. (2017). Alterations of ubiquitin related proteins in the pathology and development of schizophrenia: Evidence from human and animal studies. *Journal of Psychiatric Research*, *90*, 31-39.
<https://www.ncbi.nlm.nih.gov/pubmed/28226265>
- Coleman, L. G., Jr., Zou, J., & Crews, F. T. (2017). Microglial-derived miRNA let-7 and HMGB1 contribute to ethanol-induced neurotoxicity via TLR7. *Journal of Neuroinflammation*, *14*(1), 22. <https://www.ncbi.nlm.nih.gov/pubmed/28118842>
- Crews, F. T., Lawrimore, C. J., Walter, T. J., & Coleman, L. G., Jr. (2017). The role of neuroimmune signaling in alcoholism. *Neuropharmacology*, *122*, 56-73.
<https://www.ncbi.nlm.nih.gov/pubmed/28159648>
- Crews, F. T., Walter, T. J., Coleman, L. G., Jr., & Vetreno, R. P. (2017). Toll-like receptor signaling and stages of addiction. *Psychopharmacology*, *234*(9-10), 1483-1498.
<https://www.ncbi.nlm.nih.gov/pubmed/28210782>
- Davies, D. S., Ma, J., Jegathees, T., & Goldsbury, C. (2017). Microglia show altered morphology and reduced arborization in human brain during aging and Alzheimer's disease. *Brain Pathology*, *27*(6), 795-808.
<https://www.ncbi.nlm.nih.gov/pubmed/27862631>
- Dennis, C. V., Suh, L. S., Rodriguez, M. L., Kril, J. J., & Sutherland, G. T. (2017). Response to: Comment on 'Human adult neurogenesis across the ages: An immunohistochemical study'. *Neuropathol Appl Neurobiol*, *43*(5), 452-454.
<https://www.ncbi.nlm.nih.gov/pubmed/28218954>
- Diaz, D., Donato, M., Nguyen, T., & Draghici, S. (2017). MICRORNA-AUGMENTED PATHWAYS (mirAP) AND THEIR APPLICATIONS TO PATHWAY ANALYSIS AND DISEASE SUBTYPING. *Pacific Symposium on Biocomputing*, *22*, 390-401.
<https://www.ncbi.nlm.nih.gov/pubmed/27896992>

- Farg, M. A., Konopka, A., Soo, K. Y., Ito, D., & Atkin, J. D. (2017). The DNA damage response (DDR) is induced by the C9orf72 repeat expansion in amyotrophic lateral sclerosis. *Human Molecular Genetics*, 26(15), 2882-2896.
<https://www.ncbi.nlm.nih.gov/pubmed/28481984>
- Fifita, J. A., Zhang, K. Y., Galper, J., Williams, K. L., McCann, E. P., Hogan, A. L., . . . Blair, I. P. (2017). Genetic and Pathological Assessment of hnRNPA1, hnRNPA2/B1, and hnRNPA3 in Familial and Sporadic Amyotrophic Lateral Sclerosis. *Neuro-Degenerative Diseases*, 17(6), 304-312.
<https://www.ncbi.nlm.nih.gov/pubmed/29131108>
- Gatta, E., Auta, J., Gavin, D. P., Bhaumik, D. K., Grayson, D. R., Pandey, S. C., & Guidotti, A. (2017). Emerging Role of One-Carbon Metabolism and DNA Methylation Enrichment on delta-Containing GABAA Receptor Expression in the Cerebellum of Subjects with Alcohol Use Disorders (AUD). *International Journal of Neuropsychopharmacology*, 20(12), 1013-1026. <https://www.ncbi.nlm.nih.gov/pubmed/29020412>
- Genoud, S., Roberts, B. R., Gunn, A. P., Halliday, G. M., Lewis, S. J. G., Ball, H. J., . . . Double, K. L. (2017). Subcellular compartmentalisation of copper, iron, manganese, and zinc in the Parkinson's disease brain. *Metallomics*, 9(10), 1447-1455.
<https://www.ncbi.nlm.nih.gov/pubmed/28944802>
- Hancock, S. E., Friedrich, M. G., Mitchell, T. W., Truscott, R. J., & Else, P. L. (2017). The phospholipid composition of the human entorhinal cortex remains relatively stable over 80 years of adult aging. *Geroscience*, 39(1), 73-82.
<https://www.ncbi.nlm.nih.gov/pubmed/28299641>
- Hasirci, A. S., Maldonado-Devincci, A. M., Beattie, M. C., O'Buckley, T. K., & Morrow, A. L. (2017). Cellular GABAergic Neuroactive Steroid (3alpha,5alpha)-3-Hydroxy-Pregnan-20-One (3alpha,5alpha-THP) Immunostaining Levels Are Increased in the Ventral Tegmental Area of Human Alcohol Use Disorder Patients: A Postmortem Study. *Alcoholism, Clinical and Experimental Research*, 41(2), 299-311.
<https://www.ncbi.nlm.nih.gov/pubmed/28068457>
- Hermann, D., Hirth, N., Reimold, M., Batra, A., Smolka, M. N., Hoffmann, S., . . . Hansson, A. C. (2017). Low mu-Opioid Receptor Status in Alcohol Dependence Identified by Combined Positron Emission Tomography and Post-Mortem Brain Analysis. *Neuropsychopharmacology*, 42(3), 606-614.
<https://www.ncbi.nlm.nih.gov/pubmed/27510425>
- Karababa, A., Groos-Sahr, K., Albrecht, U., Keitel, V., Shafiqullina, A., Gorg, B., & Haussinger, D. (2017). Ammonia Attenuates LPS-Induced Upregulation of Pro-Inflammatory Cytokine mRNA in Co-Cultured Astrocytes and Microglia. *Neurochemical Research*, 42(3), 737-749. <https://www.ncbi.nlm.nih.gov/pubmed/27655254>
- Kononenko, O., Bazov, I., Watanabe, H., Gerashchenko, G., Dyachok, O., Verbeek, D. S., . . . Bakalkin, G. (2017). Opioid precursor protein isoform is targeted to the cell nuclei in the human brain. *Biochim Biophys Acta Gen Subj*, 1861(2), 246-255.
<https://www.ncbi.nlm.nih.gov/pubmed/27838394>
- Kononenko, O., Galatenko, V., Andersson, M., Bazov, I., Watanabe, H., Zhou, X. W., . . . Bakalkin, G. (2017). Intra- and interregional coregulation of opioid genes: broken symmetry in spinal circuits. *FASEB Journal*, 31(5), 1953-1963.
<https://www.ncbi.nlm.nih.gov/pubmed/28122917>
<https://faseb.onlinelibrary.wiley.com/doi/pdfdirect/10.1096/fj.201601039R?download=true>

- Lee, M. R., Schwandt, M. L., Sankar, V., Suchankova, P., Sun, H., & Leggio, L. (2017). Effect of alcohol use disorder on oxytocin peptide and receptor mRNA expression in human brain: A post-mortem case-control study. *Psychoneuroendocrinology*, *85*, 14-19. <https://www.ncbi.nlm.nih.gov/pubmed/28787642>
- Mathews, K. J., Allen, K. M., Boerrigter, D., Ball, H., Shannon Weickert, C., & Double, K. L. (2017). Evidence for reduced neurogenesis in the aging human hippocampus despite stable stem cell markers. *Aging Cell*, *16*(5), 1195-1199. <https://www.ncbi.nlm.nih.gov/pubmed/28766905>
- Matosin, N., Fernandez-Enright, F., Lum, J. S., & Newell, K. A. (2017). Shifting towards a model of mGluR5 dysregulation in schizophrenia: Consequences for future schizophrenia treatment. *Neuropharmacology*, *115*, 73-91. <https://www.ncbi.nlm.nih.gov/pubmed/26349010>
- Murano, T., Koshimizu, H., Hagihara, H., & Miyakawa, T. (2017). Transcriptomic immaturity of the hippocampus and prefrontal cortex in patients with alcoholism. *Scientific Reports*, *7*, 44531. <https://www.ncbi.nlm.nih.gov/pubmed/28295046>
- Papp-Peka, A., Tong, M., Kril, J. J., De La Monte, S. M., & Sutherland, G. T. (2017). The Differential Effects of Alcohol and Nicotine-Specific Nitrosamine Ketone on White Matter Ultrastructure. *Alcohol Alcohol*, *52*(2), 165-171. <https://www.ncbi.nlm.nih.gov/pubmed/28182194>
- Ponomarev, I., Stelly, C. E., Morikawa, H., Blednov, Y. A., Mayfield, R. D., & Harris, R. A. (2017). Mechanistic insights into epigenetic modulation of ethanol consumption. *Alcohol*, *60*, 95-101. <https://www.ncbi.nlm.nih.gov/pubmed/28433417>
- Purves-Tyson, T. D., Owens, S. J., Rothmond, D. A., Halliday, G. M., Double, K. L., Stevens, J., . . . Shannon Weickert, C. (2017). Putative presynaptic dopamine dysregulation in schizophrenia is supported by molecular evidence from post-mortem human midbrain. *Transl Psychiatry*, *7*(1), e1003. <https://www.ncbi.nlm.nih.gov/pubmed/28094812>
- Rubio-Araiz, A., Porcu, F., Perez-Hernandez, M., Garcia-Gutierrez, M. S., Aracil-Fernandez, M. A., Gutierrez-Lopez, M. D., . . . Colado, M. I. (2017). Disruption of blood-brain barrier integrity in postmortem alcoholic brain: preclinical evidence of TLR4 involvement from a binge-like drinking model. *Addiction Biology*, *22*(4), 1103-1116. <https://www.ncbi.nlm.nih.gov/pubmed/26949123>
- Sarkisyan, D., Bazov, I., Watanabe, H., Kononenko, O., Syvanen, A. C., Schumann, G., . . . Bakalkin, G. (2017). Damaged reward areas in human alcoholics: neuronal proportion decline and astrocyte activation. *Acta Neuropathologica*, *133*(3), 485-487. <https://www.ncbi.nlm.nih.gov/pubmed/28097436>
- Sutherland, G. T., Lim, J., Srikanth, V., & Bruce, D. G. (2017). Epidemiological Approaches to Understanding the Link Between Type 2 Diabetes and Dementia. *Journal of Alzheimer's Disease*, *59*(2), 393-403. <https://www.ncbi.nlm.nih.gov/pubmed/28372332>
- Tan, R. H., Yang, Y., Kim, W. S., Dobson-Stone, C., Kwok, J. B., Kiernan, M. C., & Halliday, G. M. (2017). Distinct TDP-43 inclusion morphologies in frontotemporal lobar degeneration with and without amyotrophic lateral sclerosis. *Acta Neuropathol Commun*, *5*(1), 76. <https://www.ncbi.nlm.nih.gov/pubmed/29078806>
- Trist, B. G., Davies, K. M., Cottam, V., Genoud, S., Ortega, R., Roudeau, S., . . . Double, K. L. (2017). Amyotrophic lateral sclerosis-like superoxide dismutase 1 proteinopathy is

- associated with neuronal loss in Parkinson's disease brain. *Acta Neuropathologica*, 134(1), 113-127. <https://www.ncbi.nlm.nih.gov/pubmed/28527045>
- Warden, A. S., & Mayfield, R. D. (2017). Gene expression profiling in the human alcoholic brain. *Neuropharmacology*, 122, 161-174. <https://www.ncbi.nlm.nih.gov/pubmed/28254370>
- Yang, Y., Shepherd, C. E., & Halliday, G. M. (2017). Increased aneuploidy is not a universal feature across alpha-synucleinopathies. *Movement Disorders*, 32(3), 475-476. <https://www.ncbi.nlm.nih.gov/pubmed/27862335>
- 2016**
- Allen, K. M., Fung, S. J., & Weickert, C. S. (2016). Cell proliferation is reduced in the hippocampus in schizophrenia. *Aust N Z J Psychiatry*, 50(5), 473-480. <https://www.ncbi.nlm.nih.gov/pubmed/26113745>
- Chami, B., Steel, A. J., De La Monte, S. M., & Sutherland, G. T. (2016). The rise and fall of insulin signaling in Alzheimer's disease. *Metabolic Brain Disease*, 31(3), 497-515. <https://www.ncbi.nlm.nih.gov/pubmed/26883429>
- Corley, S. M., Tsai, S. Y., Wilkins, M. R., & Shannon Weickert, C. (2016). Transcriptomic Analysis Shows Decreased Cortical Expression of NR4A1, NR4A2 and RXRB in Schizophrenia and Provides Evidence for Nuclear Receptor Dysregulation. *PLoS One*, 11(12), e0166944. <https://www.ncbi.nlm.nih.gov/pubmed/27992436>
- Coupland, K. G., Kim, W. S., Halliday, G. M., Hallupp, M., Dobson-Stone, C., & Kwok, J. B. (2016). Role of the Long Non-Coding RNA MAPT-AS1 in Regulation of Microtubule Associated Protein Tau (MAPT) Expression in Parkinson's Disease. *PLoS One*, 11(6), e0157924. <https://www.ncbi.nlm.nih.gov/pubmed/27336847>
- Crews, F. T., Vetreno, R. P., Broadwater, M. A., & Robinson, D. L. (2016). Adolescent Alcohol Exposure Persistently Impacts Adult Neurobiology and Behavior. *Pharmacological Reviews*, 68(4), 1074-1109. <https://www.ncbi.nlm.nih.gov/pubmed/27677720>
- Davies, K. M., Mercer, J. F., Chen, N., & Double, K. L. (2016). Copper dyshomeostasis in Parkinson's disease: implications for pathogenesis and indications for novel therapeutics. *Clinical Science (London, England: 1979)*, 130(8), 565-574. <https://www.ncbi.nlm.nih.gov/pubmed/26957644>
- Dennis, C. V., Suh, L. S., Rodriguez, M. L., Kril, J. J., & Sutherland, G. T. (2016). Human adult neurogenesis across the ages: An immunohistochemical study. *Neuropathol Appl Neurobiol*, 42(7), 621-638. <https://www.ncbi.nlm.nih.gov/pubmed/27424496>
- Friedrich, M. G., Hancock, S. E., Raftery, M. J., & Truscott, R. J. (2016). Isoaspartic acid is present at specific sites in myelin basic protein from multiple sclerosis patients: could this represent a trigger for disease onset? *Acta Neuropathol Commun*, 4(1), 83. <https://www.ncbi.nlm.nih.gov/pubmed/27519525>
- Hagerty, S. L., Bidwell, L. C., Harlaar, N., & Hutchison, K. E. (2016). An Exploratory Association Study of Alcohol Use Disorder and DNA Methylation. *Alcoholism, Clinical and Experimental Research*, 40(8), 1633-1640. <https://www.ncbi.nlm.nih.gov/pubmed/27388583>
- Hirth, N., Meinhardt, M. W., Noori, H. R., Salgado, H., Torres-Ramirez, O., Uhrig, S., . . . Hansson, A. C. (2016). Convergent evidence from alcohol-dependent humans and rats for a hyperdopaminergic state in protracted abstinence. *Proceedings of the National Academy of Sciences of the United States of America*, 113(11), 3024-3029. <https://www.ncbi.nlm.nih.gov/pubmed/26903621>

- Ittner, A., Chua, S. W., Bertz, J., Volkerling, A., van der Hoven, J., Gladbach, A., . . . Ittner, L. M. (2016). Site-specific phosphorylation of tau inhibits amyloid-beta toxicity in Alzheimer's mice. *Science*, *354*(6314), 904-908.
<https://www.ncbi.nlm.nih.gov/pubmed/27856911>
- Jayasena, T., Poljak, A., Braidy, N., Zhong, L., Rowlands, B., Muenchhoff, J., . . . Sachdev, P. (2016). Application of Targeted Mass Spectrometry for the Quantification of Sirtuins in the Central Nervous System. *Scientific Reports*, *6*, 35391.
<https://www.ncbi.nlm.nih.gov/pubmed/27762282>
- Kashem, M. A., Ahmed, S., Sultana, N., Ahmed, E. U., Pickford, R., Rae, C., . . . Balcar, V. J. (2016). Metabolomics of Neurotransmitters and Related Metabolites in Post-Mortem Tissue from the Dorsal and Ventral Striatum of Alcoholic Human Brain. *Neurochemical Research*, *41*(1-2), 385-397.
<https://www.ncbi.nlm.nih.gov/pubmed/26801172>
- Matosin, N., Fernandez-Enright, F., Lum, J. S., Engel, M., Andrews, J. L., Gassen, N. C., . . . Newell, K. A. (2016). Molecular evidence of synaptic pathology in the CA1 region in schizophrenia. *NPJ Schizophr*, *2*, 16022.
<https://www.ncbi.nlm.nih.gov/pubmed/27430010>
- Matrone, C., Dzamko, N., Madsen, P., Nyegaard, M., Pohlmann, R., Sondergaard, R. V., . . . Nielsen, M. S. (2016). Mannose 6-Phosphate Receptor Is Reduced in -Synuclein Overexpressing Models of Parkinsons Disease. *PLoS One*, *11*(8), e0160501.
<https://www.ncbi.nlm.nih.gov/pubmed/27509067>
- Mayne, B. T., Bianco-Miotto, T., Buckberry, S., Breen, J., Clifton, V., Shoubridge, C., & Roberts, C. T. (2016). Large Scale Gene Expression Meta-Analysis Reveals Tissue-Specific, Sex-Biased Gene Expression in Humans. *Front Genet*, *7*, 183.
<https://www.ncbi.nlm.nih.gov/pubmed/27790248>
- McCorkindale, A. N., Sheedy, D., Kril, J. J., & Sutherland, G. T. (2016). The effects of chronic smoking on the pathology of alcohol-related brain damage. *Alcohol*, *53*, 35-44.
<https://www.ncbi.nlm.nih.gov/pubmed/27286935>
- Palmer-Aronsten, B., Sheedy, D., McCrossin, T., & Kril, J. (2016). An International Survey of Brain Banking Operation and Characterization Practices. *Biopreservation and Biobanking*, *14*(6), 464-469. <https://www.ncbi.nlm.nih.gov/pubmed/27399803>
- Sutherland, G. T., Sheedy, D., Stevens, J., McCrossin, T., Smith, C. C., van Roijen, M., & Kril, J. J. (2016). The NSW brain tissue resource centre: Banking for alcohol and major neuropsychiatric disorders research. *Alcohol*, *52*, 33-39.
<https://www.ncbi.nlm.nih.gov/pubmed/27139235>
- Tan, R. H., Kril, J. J., McGinley, C., Hassani, M., Masuda-Suzukake, M., Hasegawa, M., . . . Halliday, G. M. (2016). Cerebellar neuronal loss in amyotrophic lateral sclerosis cases with ATXN2 intermediate repeat expansions. *Annals of Neurology*, *79*(2), 295-305.
<https://www.ncbi.nlm.nih.gov/pubmed/26599997>
- Tong, J. H., Hawi, Z., Dark, C., Cummins, T. D., Johnson, B. P., Newman, D. P., . . . Pang, K. C. (2016). Separating the wheat from the chaff: systematic identification of functionally relevant noncoding variants in ADHD. *Molecular Psychiatry*, *21*(11), 1589-1598.
<https://www.ncbi.nlm.nih.gov/pubmed/27113999>
- Wang, F., Xu, H., Zhao, H., Gelernter, J., & Zhang, H. (2016). DNA co-methylation modules in postmortem prefrontal cortex tissues of European Australians with alcohol use disorders. *Scientific Reports*, *6*(1), 19430.
<https://www.ncbi.nlm.nih.gov/pubmed/26763658>

- Warden, A., Erickson, E., Robinson, G., Harris, R. A., & Mayfield, R. D. (2016). The neuroimmune transcriptome and alcohol dependence: potential for targeted therapies. *Pharmacogenomics*, *17*(18), 2081-2096. <https://www.ncbi.nlm.nih.gov/pubmed/27918243>
- Warden, A., Truitt, J., Merriman, M., Ponomareva, O., Jameson, K., Ferguson, L. B., . . . Harris, R. A. (2016). Localization of PPAR isotypes in the adult mouse and human brain. *Scientific Reports*, *6*, 27618. <https://www.ncbi.nlm.nih.gov/pubmed/27283430>
- Weissleder, C., Fung, S. J., Wong, M. W., Barry, G., Double, K. L., Halliday, G. M., . . . Weickert, C. S. (2016). Decline in Proliferation and Immature Neuron Markers in the Human Subependymal Zone during Aging: Relationship to EGF- and FGF-Related Transcripts. *Frontiers in Aging Neuroscience*, *8*, 274. <https://www.ncbi.nlm.nih.gov/pubmed/27932973>
- Zhang, Y., Catts, V. S., Sheedy, D., McCrossin, T., Kril, J. J., & Shannon Weickert, C. (2016). Cortical grey matter volume reduction in people with schizophrenia is associated with neuro-inflammation. *Transl Psychiatry*, *6*(12), e982. <https://www.ncbi.nlm.nih.gov/pubmed/27959331>

2015

- Abbott, S. K., Jenner, A. M., Spiro, A. S., Batterham, M., Halliday, G. M., & Garner, B. (2015). Fatty acid composition of the anterior cingulate cortex indicates a high susceptibility to lipid peroxidation in Parkinson's disease. *Journal of Parkinson's Disease*, *5*(1), 175-185. <https://www.ncbi.nlm.nih.gov/pubmed/25613350>
- Barry, G., Guenewig, B., Fung, S., Kaczorowski, D., & Weickert, C. S. (2015). Long Non-Coding RNA Expression during Aging in the Human Subependymal Zone. *Frontiers in Neurology*, *6*, 45. <https://www.ncbi.nlm.nih.gov/pubmed/25806019>
- Catts, V. S., Derminio, D. S., Hahn, C. G., & Weickert, C. S. (2015). Postsynaptic density levels of the NMDA receptor NR1 subunit and PSD-95 protein in prefrontal cortex from people with schizophrenia. *NPJ Schizophr*, *1*, 15037. <https://www.ncbi.nlm.nih.gov/pubmed/27336043>
- Coupland, K. G., Kim, W. S., Halliday, G. M., Hallupp, M., Dobson-Stone, C., & Kwok, J. B. (2015). Effect of PSEN1 mutations on MAPT methylation in early-onset Alzheimer's disease. *Curr Alzheimer Res*, *12*(8), 745-751. <https://www.ncbi.nlm.nih.gov/pubmed/26159201>
<https://www.eurekaselect.com/132980/article>
- Crews, F. T., Sarkar, D. K., Qin, L., Zou, J., Boyadjieva, N., & Vetreno, R. P. (2015). Neuroimmune Function and the Consequences of Alcohol Exposure. *Alcohol Res*, *37*(2), 331-341, 344-351. <https://www.ncbi.nlm.nih.gov/pubmed/26695754>
- Farrarwell, N. E., Lambert-Smith, I. A., Warraich, S. T., Blair, I. P., Saunders, D. N., Hatters, D. M., & Yerbury, J. J. (2015). Distinct partitioning of ALS associated TDP-43, FUS and SOD1 mutants into cellular inclusions. *Scientific Reports*, *5*, 13416. <https://www.ncbi.nlm.nih.gov/pubmed/26293199>
- Farris, S. P., Arasappan, D., Hunicke-Smith, S., Harris, R. A., & Mayfield, R. D. (2015). Transcriptome organization for chronic alcohol abuse in human brain. *Molecular Psychiatry*, *20*(11), 1438-1447. <https://www.ncbi.nlm.nih.gov/pubmed/25450227>
- Farris, S. P., Pietrzykowski, A. Z., Miles, M. F., O'Brien, M. A., Sanna, P. P., Zakhari, S., . . . Harris, R. A. (2015). Applying the new genomics to alcohol dependence. *Alcohol*, *49*(8), 825-836. <https://www.ncbi.nlm.nih.gov/pubmed/25896098>

- Fatima, M., Tan, R., Halliday, G. M., & Kril, J. J. (2015). Spread of pathology in amyotrophic lateral sclerosis: assessment of phosphorylated TDP-43 along axonal pathways. *Acta Neuropathol Commun*, 3(1), 47. <https://www.ncbi.nlm.nih.gov/pubmed/26216351>
- Gabery, S., Halliday, G., Kirik, D., Englund, E., & Petersen, A. (2015). Selective loss of oxytocin and vasopressin in the hypothalamus in early Huntington disease: a case study. *Neuropathol Appl Neurobiol*, 41(6), 843-848. <https://www.ncbi.nlm.nih.gov/pubmed/25765897>
- Gorg, B., Karababa, A., Shafiqullina, A., Bidmon, H. J., & Haussinger, D. (2015). Ammonia-induced senescence in cultured rat astrocytes and in human cerebral cortex in hepatic encephalopathy. *Glia*, 63(1), 37-50. <https://www.ncbi.nlm.nih.gov/pubmed/25092802>
- Halliday, G. M., & Murphy, K. E. (2015). Reply: Lysosomal dysfunction in Parkinson's disease. *Brain*, 138(Pt 4), e340. <https://www.ncbi.nlm.nih.gov/pubmed/25212848>
- Hancock, S. E., Friedrich, M. G., Mitchell, T. W., Truscott, R. J., & Else, P. L. (2015). Decreases in Phospholipids Containing Adrenic and Arachidonic Acids Occur in the Human Hippocampus over the Adult Lifespan. *Lipids*, 50(9), 861-872. <https://www.ncbi.nlm.nih.gov/pubmed/26001986>
- Helmfors, L., Boman, A., Civitelli, L., Nath, S., Sandin, L., Janefjord, C., . . . Kagedal, K. (2015). Protective properties of lysozyme on beta-amyloid pathology: implications for Alzheimer disease. *Neurobiology of Disease*, 83, 122-133. <https://www.ncbi.nlm.nih.gov/pubmed/26334479>
- Huang, Y., Wang, G., Rowe, D., Wang, Y., Kwok, J. B., Xiao, Q., . . . Halliday, G. (2015). SNCA Gene, but Not MAPT, Influences Onset Age of Parkinson's Disease in Chinese and Australians. *Biomed Res Int*, 2015, 135674. <https://www.ncbi.nlm.nih.gov/pubmed/25960998>
- Hunt, N. J., Rodriguez, M. L., Waters, K. A., & Machaalani, R. (2015). Changes in orexin (hypocretin) neuronal expression with normal aging in the human hypothalamus. *Neurobiology of Aging*, 36(1), 292-300. <https://www.ncbi.nlm.nih.gov/pubmed/25212464>
- Janeczek, P., Brooker, C., Dodd, P. R., & Lewohl, J. M. (2015). Differential expression of alpha-synuclein splice variants in the brain of alcohol misusers: Influence of genotype. *Drug Alcohol Depend*, 155, 284-292. <https://www.ncbi.nlm.nih.gov/pubmed/26297298>
- Jordens, M. S., Keitel, V., Karababa, A., Zemtsova, I., Bronger, H., Haussinger, D., & Gorg, B. (2015). Multidrug resistance-associated protein 4 expression in ammonia-treated cultured rat astrocytes and cerebral cortex of cirrhotic patients with hepatic encephalopathy. *Glia*, 63(11), 2092-2105. <https://www.ncbi.nlm.nih.gov/pubmed/26102310>
- Joshi, D., Catts, V. S., Olaya, J. C., & Shannon Weickert, C. (2015). Relationship between somatostatin and death receptor expression in the orbital frontal cortex in schizophrenia: a postmortem brain mRNA study. *NPJ Schizophr*, 1, 14004. <https://www.ncbi.nlm.nih.gov/pubmed/27336026>
- Leshchyns'ka, I., Liew, H. T., Shepherd, C., Halliday, G. M., Stevens, C. H., Ke, Y. D., . . . Sytnyk, V. (2015). Abeta-dependent reduction of NCAM2-mediated synaptic adhesion contributes to synapse loss in Alzheimer's disease. *Nat Commun*, 6(1), 8836. <https://www.ncbi.nlm.nih.gov/pubmed/26611261>

- Lourenco, G. F., Janitz, M., Huang, Y., & Halliday, G. M. (2015). Long noncoding RNAs in TDP-43 and FUS/TLS-related frontotemporal lobar degeneration (FTLD). *Neurobiology of Disease*, 82, 445-454. <https://www.ncbi.nlm.nih.gov/pubmed/26220395>
- Mamdani, M., Williamson, V., McMichael, G. O., Blevins, T., Aliev, F., Adkins, A., . . . Vladimirov, V. I. (2015). Integrating mRNA and miRNA Weighted Gene Co-Expression Networks with eQTLs in the Nucleus Accumbens of Subjects with Alcohol Dependence. *PloS One*, 10(9), e0137671. <https://www.ncbi.nlm.nih.gov/pubmed/26381263>
- Matosin, N., Fernandez-Enright, F., Fung, S. J., Lum, J. S., Engel, M., Andrews, J. L., . . . Newell, K. A. (2015). Alterations of mGluR5 and its endogenous regulators Norbin, Tamalin and Preso1 in schizophrenia: towards a model of mGluR5 dysregulation. *Acta Neuropathologica*, 130(1), 119-129. <https://www.ncbi.nlm.nih.gov/pubmed/25778620>
- Matosin, N., Fernandez-Enright, F., Lum, J. S., Andrews, J. L., Engel, M., Huang, X. F., & Newell, K. A. (2015). Metabotropic glutamate receptor 5, and its trafficking molecules Norbin and Tamalin, are increased in the CA1 hippocampal region of subjects with schizophrenia. *Schizophrenia Research*, 166(1-3), 212-218. <https://www.ncbi.nlm.nih.gov/pubmed/26048293>
- Mills, J. D., Chen, J., Kim, W. S., Waters, P. D., Prabowo, A. S., Aronica, E., . . . Janitz, M. (2015). Long intervening non-coding RNA 00320 is human brain-specific and highly expressed in the cortical white matter. *Neurogenetics*, 16(3), 201-213. <https://www.ncbi.nlm.nih.gov/pubmed/25819921>
- Mills, J. D., Kavanagh, T., Kim, W. S., Chen, B. J., Waters, P. D., Halliday, G. M., & Janitz, M. (2015). High expression of long intervening non-coding RNA OLMALINC in the human cortical white matter is associated with regulation of oligodendrocyte maturation. *Molecular Brain*, 8, 2. <https://www.ncbi.nlm.nih.gov/pubmed/25575711>
- Mills, J. D., Kim, W. S., Halliday, G. M., & Janitz, M. (2015). Transcriptome analysis of grey and white matter cortical tissue in multiple system atrophy. *Neurogenetics*, 16(2), 107-122. <https://www.ncbi.nlm.nih.gov/pubmed/25370810>
- Moujalled, D., James, J. L., Yang, S., Zhang, K., Duncan, C., Moujalled, D. M., . . . White, A. R. (2015). Phosphorylation of hnRNP K by cyclin-dependent kinase 2 controls cytosolic accumulation of TDP-43. *Human Molecular Genetics*, 24(6), 1655-1669. <https://www.ncbi.nlm.nih.gov/pubmed/25410660>
- Murphy, K. E., Gysbers, A. M., Abbott, S. K., Spiro, A. S., Furuta, A., Cooper, A., . . . Halliday, G. M. (2015). Lysosomal-associated membrane protein 2 isoforms are differentially affected in early Parkinson's disease. *Movement Disorders*, 30(12), 1639-1647. <https://www.ncbi.nlm.nih.gov/pubmed/25594542>
- Norris, S. E., Friedrich, M. G., Mitchell, T. W., Truscott, R. J. W., & Else, P. L. (2015). Human prefrontal cortex phospholipids containing docosahexaenoic acid increase during normal adult aging, whereas those containing arachidonic acid decrease. *Neurobiology of Aging*, 36(4), 1659-1669. <https://www.ncbi.nlm.nih.gov/pubmed/25676385>
- Sarkisyan, D., Hussain, M. Z., Watanabe, H., Kononenko, O., Bazov, I., Zhou, X., . . . Bakalkin, G. (2015). Downregulation of the endogenous opioid peptides in the dorsal striatum of human alcoholics. *Frontiers in Cellular Neuroscience*, 9, 187. <https://www.ncbi.nlm.nih.gov/pubmed/26029055>

- Sery, O., Sultana, N., Kashem, M. A., Pow, D. V., & Balcar, V. J. (2015). GLAST But Not Least-- Distribution, Function, Genetics and Epigenetics of L-Glutamate Transport in Brain-- Focus on GLAST/EAAT1. *Neurochemical Research*, *40*(12), 2461-2472.
<https://www.ncbi.nlm.nih.gov/pubmed/25972039>
- Sobczyk, K., Jordens, M. S., Karababa, A., Gorg, B., & Haussinger, D. (2015). Ephrin/Ephrin receptor expression in ammonia-treated rat astrocytes and in human cerebral cortex in hepatic encephalopathy. *Neurochemical Research*, *40*(2), 274-283.
<https://www.ncbi.nlm.nih.gov/pubmed/25064044>
- Tan, R. H., Kril, J. J., Fatima, M., McGeachie, A., McCann, H., Shepherd, C., . . . Halliday, G. M. (2015). TDP-43 proteinopathies: pathological identification of brain regions differentiating clinical phenotypes. *Brain*, *138*(Pt 10), 3110-3122.
<https://www.ncbi.nlm.nih.gov/pubmed/26231953>
- Toselli, F., Booth Depaz, I. M., Worrall, S., Etheridge, N., Dodd, P. R., Wilce, P. A., & Gillam, E. M. (2015). Expression of CYP2E1 and CYP2U1 proteins in amygdala and prefrontal cortex: influence of alcoholism and smoking. *Alcoholism, Clinical and Experimental Research*, *39*(5), 790-797. <https://www.ncbi.nlm.nih.gov/pubmed/25872594>
- Toselli, F., de Waziers, I., Dutheil, M., Vincent, M., Wilce, P. A., Dodd, P. R., . . . Gillam, E. M. (2015). Gene expression profiling of cytochromes P450, ABC transporters and their principal transcription factors in the amygdala and prefrontal cortex of alcoholics, smokers and drug-free controls by qRT-PCR. *Xenobiotica*, *45*(12), 1129-1137.
<https://www.ncbi.nlm.nih.gov/pubmed/26095139>
- Yang, Y., Shepherd, C., & Halliday, G. (2015). Aneuploidy in Lewy body diseases. *Neurobiology of Aging*, *36*(3), 1253-1260.
<https://www.ncbi.nlm.nih.gov/pubmed/25595497>

2014

- Abbott, S. K., Li, H., Munoz, S. S., Knoch, B., Batterham, M., Murphy, K. E., . . . Garner, B. (2014). Altered ceramide acyl chain length and ceramide synthase gene expression in Parkinson's disease. *Movement Disorders*, *29*(4), 518-526.
<https://www.ncbi.nlm.nih.gov/pubmed/24822250>
- Beveridge, N. J., Santarelli, D. M., Wang, X., Tooney, P. A., Webster, M. J., Weickert, C. S., & Cairns, M. J. (2014). Maturation of the human dorsolateral prefrontal cortex coincides with a dynamic shift in microRNA expression. *Schizophrenia Bulletin*, *40*(2), 399-409. <https://www.ncbi.nlm.nih.gov/pubmed/23378013>
- Bhandage, A. K., Jin, Z., Bazov, I., Kononenko, O., Bakalkin, G., Korpi, E. R., & Birnir, B. (2014). GABA-A and NMDA receptor subunit mRNA expression is altered in the caudate but not the putamen of the postmortem brains of alcoholics. *Frontiers in Cellular Neuroscience*, *8*, 415. <https://www.ncbi.nlm.nih.gov/pubmed/25538565>
- Bleasel, J. M., Wong, J. H., Halliday, G. M., & Kim, W. S. (2014). Lipid dysfunction and pathogenesis of multiple system atrophy. *Acta Neuropathol Commun*, *2*, 15.
<https://www.ncbi.nlm.nih.gov/pubmed/24502382>
- Catts, V. S., Wong, J., Fillman, S. G., Fung, S. J., & Shannon Weickert, C. (2014). Increased expression of astrocyte markers in schizophrenia: Association with neuroinflammation. *Aust N Z J Psychiatry*, *48*(8), 722-734.
<https://www.ncbi.nlm.nih.gov/pubmed/24744400>
<https://journals.sagepub.com/doi/pdf/10.1177/0004867414531078>

- Cheshire, P., Bertram, K., Ling, H., O'Sullivan, S. S., Halliday, G., McLean, C., . . . Williams, D. R. (2014). Influence of single nucleotide polymorphisms in COMT, MAO-A and BDNF genes on dyskinesias and levodopa use in Parkinson's disease. *Neuro-Degenerative Diseases, 13*(1), 24-28. <https://www.ncbi.nlm.nih.gov/pubmed/24008922>
- Couttas, T. A., Kain, N., Daniels, B., Lim, X. Y., Shepherd, C., Kril, J., . . . Don, A. S. (2014). Loss of the neuroprotective factor Sphingosine 1-phosphate early in Alzheimer's disease pathogenesis. *Acta Neuropathol Commun, 2*, 9. <https://www.ncbi.nlm.nih.gov/pubmed/24456642>
- Crews, F. T., & Vetreno, R. P. (2014). Neuroimmune basis of alcoholic brain damage. *International Review of Neurobiology, 118*, 315-357. <https://www.ncbi.nlm.nih.gov/pubmed/25175868>
- Davies, K. M., Bohic, S., Carmona, A., Ortega, R., Cottam, V., Hare, D. J., . . . Double, K. L. (2014). Copper pathology in vulnerable brain regions in Parkinson's disease. *Neurobiology of Aging, 35*(4), 858-866. <https://www.ncbi.nlm.nih.gov/pubmed/24176624>
- de la Monte, S. M., & Kril, J. J. (2014). Human alcohol-related neuropathology. *Acta Neuropathologica, 127*(1), 71-90. <https://www.ncbi.nlm.nih.gov/pubmed/24370929>
- Dennis, C. V., Sheahan, P. J., Graeber, M. B., Sheedy, D. L., Kril, J. J., & Sutherland, G. T. (2014). Microglial proliferation in the brain of chronic alcoholics with hepatic encephalopathy. *Metabolic Brain Disease, 29*(4), 1027-1039. <https://www.ncbi.nlm.nih.gov/pubmed/24346482>
- Don, A. S., Hsiao, J. H., Bleasel, J. M., Couttas, T. A., Halliday, G. M., & Kim, W. S. (2014). Altered lipid levels provide evidence for myelin dysfunction in multiple system atrophy. *Acta Neuropathol Commun, 2*, 150. <https://www.ncbi.nlm.nih.gov/pubmed/25358962>
- Farris, S. P., & Mayfield, R. D. (2014). RNA-Seq reveals novel transcriptional reorganization in human alcoholic brain. *International Review of Neurobiology, 116*, 275-300. <https://www.ncbi.nlm.nih.gov/pubmed/25172479>
- Fernandez-Enright, F., Andrews, J. L., Newell, K. A., Pantelis, C., & Huang, X. F. (2014). Novel implications of Lingo-1 and its signaling partners in schizophrenia. *Transl Psychiatry, 4*, e348. <https://www.ncbi.nlm.nih.gov/pubmed/24448210>
- Fung, S. J., Joshi, D., Fillman, S. G., & Weickert, C. S. (2014). High white matter neuron density with elevated cortical cytokine expression in schizophrenia. *Biological Psychiatry, 75*(4), e5-7. <https://www.ncbi.nlm.nih.gov/pubmed/23830667>
- Geddes, A. E., Huang, X. F., & Newell, K. A. (2014). GluN2B protein deficits in the left, but not the right, hippocampus in schizophrenia. *BMC Psychiatry, 14*(1), 274. <https://www.ncbi.nlm.nih.gov/pubmed/25292222>
- Gorini, G., Harris, R. A., & Mayfield, R. D. (2014). Proteomic approaches and identification of novel therapeutic targets for alcoholism. *Neuropsychopharmacology, 39*(1), 104-130. <https://www.ncbi.nlm.nih.gov/pubmed/23900301>
- Hagihara, H., Ohira, K., Takao, K., & Miyakawa, T. (2014). Transcriptomic evidence for immaturity of the prefrontal cortex in patients with schizophrenia. *Molecular Brain, 7*, 41. <https://www.ncbi.nlm.nih.gov/pubmed/24886351>
- Henriksson, R., Backman, C. M., Harvey, B. K., Kadyrova, H., Bazov, I., Shippenberg, T. S., & Bakalkin, G. (2014). PDYN, a gene implicated in brain/mental disorders, is targeted by REST in the adult human brain. *Biochim Biophys Acta, 1839*(11), 1226-1232. <https://www.ncbi.nlm.nih.gov/pubmed/25220237>

- Janeczek, P., MacKay, R. K., Lea, R. A., Dodd, P. R., & Lewohl, J. M. (2014). Reduced expression of alpha-synuclein in alcoholic brain: influence of SNCA-Rep1 genotype. *Addiction Biology*, *19*(3), 509-515. <https://www.ncbi.nlm.nih.gov/pubmed/22974310>
- Jin, Z., Bhandage, A. K., Bazov, I., Kononenko, O., Bakalkin, G., Korpi, E. R., & Birnir, B. (2014a). Selective increases of AMPA, NMDA, and kainate receptor subunit mRNAs in the hippocampus and orbitofrontal cortex but not in prefrontal cortex of human alcoholics. *Frontiers in Cellular Neuroscience*, *8*, 11. <https://www.ncbi.nlm.nih.gov/pubmed/24523671>
- Jin, Z., Bhandage, A. K., Bazov, I., Kononenko, O., Bakalkin, G., Korpi, E. R., & Birnir, B. (2014b). Expression of specific ionotropic glutamate and GABA-A receptor subunits is decreased in central amygdala of alcoholics. *Frontiers in Cellular Neuroscience*, *8*, 288. <https://www.ncbi.nlm.nih.gov/pubmed/25278838>
- Joshi, D., Fullerton, J. M., & Weickert, C. S. (2014). Elevated ErbB4 mRNA is related to interneuron deficit in prefrontal cortex in schizophrenia. *Journal of Psychiatric Research*, *53*, 125-132. <https://www.ncbi.nlm.nih.gov/pubmed/24636039>
- Kim, W. S., Kagedal, K., & Halliday, G. M. (2014). Alpha-synuclein biology in Lewy body diseases. *Alzheimer's Research & Therapy*, *6*(5), 73. <https://www.ncbi.nlm.nih.gov/pubmed/25580161>
- Lee, C., Mayfield, R. D., & Harris, R. A. (2014). Altered gamma-aminobutyric acid type B receptor subunit 1 splicing in alcoholics. *Biological Psychiatry*, *75*(10), 765-773. <https://www.ncbi.nlm.nih.gov/pubmed/24209778>
- Manzardo, A. M., Gunewardena, S., Wang, K., & Butler, M. G. (2014). Exon microarray analysis of human dorsolateral prefrontal cortex in alcoholism. *Alcoholism, Clinical and Experimental Research*, *38*(6), 1594-1601. <https://www.ncbi.nlm.nih.gov/pubmed/24890784>
- Matosin, N., Fernandez-Enright, F., Frank, E., Deng, C., Wong, J., Huang, X. F., & Newell, K. A. (2014). Metabotropic glutamate receptor mGluR2/3 and mGluR5 binding in the anterior cingulate cortex in psychotic and nonpsychotic depression, bipolar disorder and schizophrenia: implications for novel mGluR-based therapeutics. *Journal of Psychiatry and Neuroscience*, *39*(6), 407-416. <https://www.ncbi.nlm.nih.gov/pubmed/24949866>
- McClintick, J. N., Brooks, A. I., Deng, L., Liang, L., Wang, J. C., Kapoor, M., . . . Edenberg, H. J. (2014). Ethanol treatment of lymphoblastoid cell lines from alcoholics and non-alcoholics causes many subtle changes in gene expression. *Alcohol*, *48*(6), 603-610. <https://www.ncbi.nlm.nih.gov/pubmed/25129674>
- McMillin, M., Galindo, C., Pae, H. Y., Frampton, G., Di Patre, P. L., Quinn, M., . . . DeMorrow, S. (2014). Gli1 activation and protection against hepatic encephalopathy is suppressed by circulating transforming growth factor beta1 in mice. *Journal of Hepatology*, *61*(6), 1260-1266. <https://www.ncbi.nlm.nih.gov/pubmed/25046848>
- Mills, J. D., Sheahan, P. J., Lai, D., Kril, J. J., Janitz, M., & Sutherland, G. T. (2014). The alternative splicing of the apolipoprotein E gene is unperturbed in the brains of Alzheimer's disease patients. *Molecular Biology Reports*, *41*(10), 6365-6376. <https://www.ncbi.nlm.nih.gov/pubmed/24996286>
- Murphy, K. E., Gysbers, A. M., Abbott, S. K., Tayebi, N., Kim, W. S., Sidransky, E., . . . Halliday, G. M. (2014). Reduced glucocerebrosidase is associated with increased alpha-synuclein in sporadic Parkinson's disease. *Brain*, *137*(Pt 3), 834-848. <https://www.ncbi.nlm.nih.gov/pubmed/24477431>

- Murphy, K. E., & Halliday, G. M. (2014). Glucocerebrosidase deficits in sporadic Parkinson disease. *Autophagy*, *10*(7), 1350-1351. <https://www.ncbi.nlm.nih.gov/pubmed/24915553>
- Newell, K. A., & Matosin, N. (2014). Rethinking metabotropic glutamate receptor 5 pathological findings in psychiatric disorders: implications for the future of novel therapeutics. *BMC Psychiatry*, *14*, 23. <https://www.ncbi.nlm.nih.gov/pubmed/24472577>
- Oldmeadow, C., Mossman, D., Evans, T. J., Holliday, E. G., Tooney, P. A., Cairns, M. J., . . . Scott, R. J. (2014). Combined analysis of exon splicing and genome wide polymorphism data predict schizophrenia risk loci. *Journal of Psychiatric Research*, *52*, 44-49. <https://www.ncbi.nlm.nih.gov/pubmed/24507884>
- Rahman, T., Davies, D. S., Tannenber, R. K., Fok, S., Shepherd, C., Dodd, P. R., . . . Goldsbury, C. (2014). Cofilin rods and aggregates concur with tau pathology and the development of Alzheimer's disease. *Journal of Alzheimer's Disease*, *42*(4), 1443-1460. <https://www.ncbi.nlm.nih.gov/pubmed/25024349>
- Sutherland, G. T., Sheedy, D., & Kril, J. J. (2014a). Using autopsy brain tissue to study alcohol-related brain damage in the genomic age. *Alcoholism, Clinical and Experimental Research*, *38*(1), 1-8. <https://www.ncbi.nlm.nih.gov/pubmed/24033426>
- Sutherland, G. T., Sheedy, D., & Kril, J. J. (2014b). Neuropathology of alcoholism. *Handbook of Clinical Neurology*, *125*, 603-615. <https://www.ncbi.nlm.nih.gov/pubmed/25307599>
<https://www.sciencedirect.com/science/article/pii/B9780444626196000355?via%3Dihub>
- Sutherland, G. T., Sheedy, D., Sheahan, P. J., Kaplan, W., & Kril, J. J. (2014). Comorbidities, confounders, and the white matter transcriptome in chronic alcoholism. *Alcoholism, Clinical and Experimental Research*, *38*(4), 994-1001. <https://www.ncbi.nlm.nih.gov/pubmed/24460866>
- Umeda-Yano, S., Hashimoto, R., Yamamori, H., Weickert, C. S., Yasuda, Y., Ohi, K., . . . Takeda, M. (2014). Expression analysis of the genes identified in GWAS of the postmortem brain tissues from patients with schizophrenia. *Neuroscience Letters*, *568*, 12-16. <https://www.ncbi.nlm.nih.gov/pubmed/24686180>
- Wong, J. H., Halliday, G. M., & Kim, W. S. (2014). Exploring myelin dysfunction in multiple system atrophy. *Experimental Neurobiology*, *23*(4), 337-344. <https://www.ncbi.nlm.nih.gov/pubmed/25548533>
- Xu, H., Wang, F., Liu, Y., Yu, Y., Gelernter, J., & Zhang, H. (2014). Sex-biased methylome and transcriptome in human prefrontal cortex. *Human Molecular Genetics*, *23*(5), 1260-1270. <https://www.ncbi.nlm.nih.gov/pubmed/24163133>
- Zhang, H., Wang, F., Xu, H., Liu, Y., Liu, J., Zhao, H., & Gelernter, J. (2014). Differentially co-expressed genes in postmortem prefrontal cortex of individuals with alcohol use disorders: influence on alcohol metabolism-related pathways. *Human Genetics*, *133*(11), 1383-1394. <https://www.ncbi.nlm.nih.gov/pubmed/25073604>

2013

- Bazov, I., Kononenko, O., Watanabe, H., Kuntic, V., Sarkisyan, D., Taqi, M. M., . . . Bakalkin, G. (2013). The endogenous opioid system in human alcoholics: molecular adaptations in brain areas involved in cognitive control of addiction. *Addiction Biology*, *18*(1), 161-169. <https://www.ncbi.nlm.nih.gov/pubmed/21955155>

- Bhatia, S., Jenner, A. M., Li, H., Ruberu, K., Spiro, A. S., Shepherd, C. E., . . . Garner, B. (2013). Increased apolipoprotein D dimer formation in Alzheimer's disease hippocampus is associated with lipid conjugated diene levels. *Journal of Alzheimer's Disease*, 35(3), 475-486. <https://www.ncbi.nlm.nih.gov/pubmed/23455990>
<https://content.iospress.com:443/articles/journal-of-alzheimers-disease/jad122278>
- Bleasel, J. M., Hsiao, J. H., Halliday, G. M., & Kim, W. S. (2013). Increased expression of ABCA8 in multiple system atrophy brain is associated with changes in pathogenic proteins. *Journal of Parkinson's Disease*, 3(3), 331-339. <https://www.ncbi.nlm.nih.gov/pubmed/23948991>
- Booth Depaz, I. M., Toselli, F., Wilce, P. A., & Gillam, E. M. (2013). Differential expression of human cytochrome P450 enzymes from the CYP3A subfamily in the brains of alcoholic subjects and drug-free controls. *Drug Metabolism and Disposition: The Biological Fate of Chemicals*, 41(6), 1187-1194. <https://www.ncbi.nlm.nih.gov/pubmed/23491640>
- Catts, V. S., Fung, S. J., Long, L. E., Joshi, D., Vercammen, A., Allen, K. M., . . . Shannon Weickert, C. (2013). Rethinking schizophrenia in the context of normal neurodevelopment. *Frontiers in Cellular Neuroscience*, 7, 60. <https://www.ncbi.nlm.nih.gov/pubmed/23720610>
- Crews, F. T., Qin, L., Sheedy, D., Vetreno, R. P., & Zou, J. (2013). High mobility group box 1/Toll-like receptor danger signaling increases brain neuroimmune activation in alcohol dependence. *Biological Psychiatry*, 73(7), 602-612. <https://www.ncbi.nlm.nih.gov/pubmed/23206318>
- Cui, X., Pelekanos, M., Liu, P. Y., Burne, T. H., McGrath, J. J., & Eyles, D. W. (2013). The vitamin D receptor in dopamine neurons; its presence in human substantia nigra and its ontogenesis in rat midbrain. *Neuroscience*, 236, 77-87. <https://www.ncbi.nlm.nih.gov/pubmed/23352937>
- Davies, K. M., Hare, D. J., Cottam, V., Chen, N., Hilgers, L., Halliday, G., . . . Double, K. L. (2013). Localization of copper and copper transporters in the human brain. *Metallomics*, 5(1), 43-51. <https://www.ncbi.nlm.nih.gov/pubmed/23076575>
- Fillman, S. G., Cloonan, N., Catts, V. S., Miller, L. C., Wong, J., McCrossin, T., . . . Weickert, C. S. (2013). Increased inflammatory markers identified in the dorsolateral prefrontal cortex of individuals with schizophrenia. *Molecular Psychiatry*, 18(2), 206-214. <https://www.ncbi.nlm.nih.gov/pubmed/22869038>
- Gorg, B., Bidmon, H. J., & Haussinger, D. (2013). Gene expression profiling in the cerebral cortex of patients with cirrhosis with and without hepatic encephalopathy. *Hepatology*, 57(6), 2436-2447. <https://www.ncbi.nlm.nih.gov/pubmed/23325665>
- Gorg, B., Schliess, F., & Haussinger, D. (2013). Osmotic and oxidative/nitrosative stress in ammonia toxicity and hepatic encephalopathy. *Archives of Biochemistry and Biophysics*, 536(2), 158-163. <https://www.ncbi.nlm.nih.gov/pubmed/23567841>
- Hawi, Z., Matthews, N., Wagner, J., Wallace, R. H., Butler, T. J., Vance, A., . . . Bellgrove, M. A. (2013). DNA variation in the SNAP25 gene confers risk to ADHD and is associated with reduced expression in prefrontal cortex. *PLoS One*, 8(4), e60274. <https://www.ncbi.nlm.nih.gov/pubmed/23593184>
- Hsiao, J. H., Fu, Y., Hill, A. F., Halliday, G. M., & Kim, W. S. (2013). Elevation in sphingomyelin synthase activity is associated with increases in amyloid-beta peptide generation. *PLoS One*, 8(8), e74016. <https://www.ncbi.nlm.nih.gov/pubmed/23977395>

- Kim, W. S., Hsiao, J. H., Bhatia, S., Glaros, E. N., Don, A. S., Tsuruoka, S., . . . Halliday, G. M. (2013). ABCA8 stimulates sphingomyelin production in oligodendrocytes. *Biochemical Journal*, *452*(3), 401-410. <https://www.ncbi.nlm.nih.gov/pubmed/23560799>
- Matosin, N., Frank, E., Deng, C., Huang, X. F., & Newell, K. A. (2013). Metabotropic glutamate receptor 5 binding and protein expression in schizophrenia and following antipsychotic drug treatment. *Schizophrenia Research*, *146*(1-3), 170-176. <https://www.ncbi.nlm.nih.gov/pubmed/23462049>
- Matosin, N., & Newell, K. A. (2013). Metabotropic glutamate receptor 5 in the pathology and treatment of schizophrenia. *Neurosci Biobehav Rev*, *37*(3), 256-268. <https://www.ncbi.nlm.nih.gov/pubmed/23253944>
- McClintick, J. N., Xuei, X., Tischfield, J. A., Goate, A., Foroud, T., Wetherill, L., . . . Edenberg, H. J. (2013). Stress-response pathways are altered in the hippocampus of chronic alcoholics. *Alcohol*, *47*(7), 505-515. <https://www.ncbi.nlm.nih.gov/pubmed/23981442>
- Meinhardt, M. W., Hansson, A. C., Perreau-Lenz, S., Bauder-Wenz, C., Stahlin, O., Heilig, M., . . . Sommer, W. H. (2013). Rescue of infralimbic mGluR2 deficit restores control over drug-seeking behavior in alcohol dependence. *Journal of Neuroscience*, *33*(7), 2794-2806. <https://www.ncbi.nlm.nih.gov/pubmed/23407939>
- Mills, J. D., Kavanagh, T., Kim, W. S., Chen, B. J., Kawahara, Y., Halliday, G. M., & Janitz, M. (2013). Unique transcriptome patterns of the white and grey matter corroborate structural and functional heterogeneity in the human frontal lobe. *PLoS One*, *8*(10), e78480. <https://www.ncbi.nlm.nih.gov/pubmed/24194939>
- Muratore, C. R., Hodgson, N. W., Trivedi, M. S., Abdolmaleky, H. M., Persico, A. M., Lintas, C., . . . Deth, R. C. (2013). Age-dependent decrease and alternative splicing of methionine synthase mRNA in human cerebral cortex and an accelerated decrease in autism. *PLoS One*, *8*(2), e56927. <https://www.ncbi.nlm.nih.gov/pubmed/23437274>
- Murphy, K. E., Cottle, L., Gysbers, A. M., Cooper, A. A., & Halliday, G. M. (2013). ATP13A2 (PARK9) protein levels are reduced in brain tissue of cases with Lewy bodies. *Acta Neuropathol Commun*, *1*(1), 11. <https://www.ncbi.nlm.nih.gov/pubmed/24252509>
- Newell, K. A. (2013). Metabotropic glutamate receptor 5 in schizophrenia: emerging evidence for the development of antipsychotic drugs. *Future Medicinal Chemistry*, *5*(13), 1471-1474. <https://www.ncbi.nlm.nih.gov/pubmed/24024939>
- Pamphlett, R., & Kum Jew, S. (2013). Heavy metals in locus ceruleus and motor neurons in motor neuron disease. *Acta Neuropathol Commun*, *1*(1), 81. <https://www.ncbi.nlm.nih.gov/pubmed/24330485>
- Purushothuman, S., Marotte, L., Stowe, S., Johnstone, D. M., & Stone, J. (2013). The response of cerebral cortex to haemorrhagic damage: experimental evidence from a penetrating injury model. *PLoS One*, *8*(3), e59740. <https://www.ncbi.nlm.nih.gov/pubmed/23555765>
- Sinclair, D., Fillman, S. G., Webster, M. J., & Weickert, C. S. (2013). Dysregulation of glucocorticoid receptor co-factors FKBP5, BAG1 and PTGES3 in prefrontal cortex in psychotic illness. *Scientific Reports*, *3*, 3539. <https://www.ncbi.nlm.nih.gov/pubmed/24345775>
- Sutherland, G. T., Chami, B., Youssef, P., & Witting, P. K. (2013). Oxidative stress in Alzheimer's disease: Primary villain or physiological by-product? *Redox Rep*, *18*(4), 134-141. <https://www.ncbi.nlm.nih.gov/pubmed/23849337>

- Sutherland, G. T., Sheahan, P. J., Matthews, J., Dennis, C. V., Sheedy, D. S., McCrossin, T., . . . Kril, J. J. (2013). The effects of chronic alcoholism on cell proliferation in the human brain. *Experimental Neurology*, 247, 9-18.
<https://www.ncbi.nlm.nih.gov/pubmed/23541433>
- Verdurand, M., Fillman, S. G., Weickert, C. S., & Zavitsanou, K. (2013). Increases in [3H]muscimol and [3H]flumazenil binding in the dorsolateral prefrontal cortex in schizophrenia are linked to alpha4 and gamma2S mRNA levels respectively. *PLoS One*, 8(1), e52724. <https://www.ncbi.nlm.nih.gov/pubmed/23320076>
- Vetreno, R. P., Qin, L., & Crews, F. T. (2013). Increased receptor for advanced glycation end product expression in the human alcoholic prefrontal cortex is linked to adolescent drinking. *Neurobiology of Disease*, 59, 52-62.
<https://www.ncbi.nlm.nih.gov/pubmed/23867237>
- Wang, F., Gelernter, J., & Zhang, H. (2013). Differential Expression of miR-130a in Postmortem Prefrontal Cortex of Subjects with Alcohol Use Disorders. *Journal of Addiction Research & Therapy*, 4(155).
<https://www.ncbi.nlm.nih.gov/pubmed/25383235>
- Wang, J. C., Spiegel, N., Bertelsen, S., Le, N., McKenna, N., Budde, J. P., . . . Goate, A. M. (2013). Cis-regulatory variants affect CHRNA5 mRNA expression in populations of African and European ancestry. *PLoS One*, 8(11), e80204.
<https://www.ncbi.nlm.nih.gov/pubmed/24303001>
- Weickert, C. S., Fung, S. J., Catts, V. S., Schofield, P. R., Allen, K. M., Moore, L. T., . . . Weickert, T. W. (2013). Molecular evidence of N-methyl-D-aspartate receptor hypofunction in schizophrenia. *Molecular Psychiatry*, 18(11), 1185-1192.
<https://www.ncbi.nlm.nih.gov/pubmed/23070074>
- Weickert, C. S., Weickert, T. W., Pillai, A., & Buckley, P. F. (2013). Biomarkers in schizophrenia: a brief conceptual consideration. *Disease Markers*, 35(1), 3-9.
<https://www.ncbi.nlm.nih.gov/pubmed/24167344>
- Wong, J., Rothmond, D. A., Webster, M. J., & Weickert, C. S. (2013). Increases in two truncated TrkB isoforms in the prefrontal cortex of people with schizophrenia. *Schizophrenia Bulletin*, 39(1), 130-140.
<https://www.ncbi.nlm.nih.gov/pubmed/21795612>
- Wu, W., Nicolazzo, J. A., Wen, L., Chung, R., Stankovic, R., Bao, S. S., . . . Guillemain, G. J. (2013). Expression of tryptophan 2,3-dioxygenase and production of kynurenine pathway metabolites in triple transgenic mice and human Alzheimer's disease brain. *PLoS One*, 8(4), e59749. <https://www.ncbi.nlm.nih.gov/pubmed/23630570>
- Yan, J., Catts, V. S., Chan, A., & McCombe, P. A. (2013). A simple and reliable immunohistochemical method for colocalization of 2 antigens in the same cells of paraffin-embedded tissues. *Applied Immunohistochemistry & Molecular Morphology*, 21(5), 471-477. <https://www.ncbi.nlm.nih.gov/pubmed/23197005>

2012

- Blednov, Y. A., Ponomarev, I., Geil, C., Bergeson, S., Koob, G. F., & Harris, R. A. (2012). Neuroimmune regulation of alcohol consumption: behavioral validation of genes obtained from genomic studies. *Addiction Biology*, 17(1), 108-120.
<https://www.ncbi.nlm.nih.gov/pubmed/21309947>

- Catts, V. S., & Weickert, C. S. (2012). Gene expression analysis implicates a death receptor pathway in schizophrenia pathology. *PLoS One*, 7(4), e35511. <https://www.ncbi.nlm.nih.gov/pubmed/22545112>
- du Bois, T. M., Newell, K. A., & Huang, X. F. (2012). Perinatal phencyclidine treatment alters neuregulin 1/erbB4 expression and activation in later life. *European Neuropsychopharmacology*, 22(5), 356-363. <https://www.ncbi.nlm.nih.gov/pubmed/21962913>
- Huang, Y., Chegini, F., Chua, G., Murphy, K., Gai, W., & Halliday, G. M. (2012). Macroautophagy in sporadic and the genetic form of Parkinson's disease with the A53T alpha-synuclein mutation. *Transl Neurodegener*, 1(1), 2. <https://www.ncbi.nlm.nih.gov/pubmed/23210740>
- Joshi, D., Fung, S. J., Rothwell, A., & Weickert, C. S. (2012). Higher gamma-aminobutyric acid neuron density in the white matter of orbital frontal cortex in schizophrenia. *Biological Psychiatry*, 72(9), 725-733. <https://www.ncbi.nlm.nih.gov/pubmed/22841514>
- Kim, W. S., & Halliday, G. M. (2012). Changes in sphingomyelin level affect alpha-synuclein and ABCA5 expression. *Journal of Parkinson's Disease*, 2(1), 41-46. <https://www.ncbi.nlm.nih.gov/pubmed/23939407>
- Kril, J. J., & Harper, C. G. (2012). Neuroanatomy and neuropathology associated with Korsakoff's syndrome. *Neuropsychology Review*, 22(2), 72-80. <https://www.ncbi.nlm.nih.gov/pubmed/22528862>
- Kryger, R., Fan, L., Wilce, P. A., & Jaquet, V. (2012). MALAT-1, a non protein-coding RNA is upregulated in the cerebellum, hippocampus and brain stem of human alcoholics. *Alcohol*, 46(7), 629-634. <https://www.ncbi.nlm.nih.gov/pubmed/22560368>
- Lim, Y. A., Giese, M., Shepherd, C., Halliday, G., Kobayashi, M., Takamatsu, K., . . . Gotz, J. (2012). Role of hippocalcin in mediating Aβ toxicity. *Biochim Biophys Acta*, 1822(8), 1247-1257. <https://www.ncbi.nlm.nih.gov/pubmed/22542901>
- Manzardo, A. M., Henkhaus, R. S., & Butler, M. G. (2012). Global DNA promoter methylation in frontal cortex of alcoholics and controls. *Gene*, 498(1), 5-12. <https://www.ncbi.nlm.nih.gov/pubmed/22353363>
- Nunez, Y. O., & Mayfield, R. D. (2012). Understanding Alcoholism Through microRNA Signatures in Brains of Human Alcoholics. *Front Genet*, 3, 43. <https://www.ncbi.nlm.nih.gov/pubmed/22514554>
- Pamphlett, R., Morahan, J. M., Luquin, N., & Yu, B. (2012). An approach to finding brain-situated mutations in sporadic Parkinson's disease. *Parkinsonism & Related Disorders*, 18(1), 82-85. <https://www.ncbi.nlm.nih.gov/pubmed/21917499>
- Ponomarev, I., Wang, S., Zhang, L., Harris, R. A., & Mayfield, R. D. (2012). Gene coexpression networks in human brain identify epigenetic modifications in alcohol dependence. *Journal of Neuroscience*, 32(5), 1884-1897. <https://www.ncbi.nlm.nih.gov/pubmed/22302827>
- Qin, L., & Crews, F. T. (2012). NADPH oxidase and reactive oxygen species contribute to alcohol-induced microglial activation and neurodegeneration. *Journal of Neuroinflammation*, 9, 5. <https://www.ncbi.nlm.nih.gov/pubmed/22240163>
- Sharpe, L. J., Wong, J., Garner, B., Halliday, G. M., & Brown, A. J. (2012). Is seladin-1 really a selective Alzheimer's disease indicator? *Journal of Alzheimer's Disease*, 30(1), 35-39. <https://www.ncbi.nlm.nih.gov/pubmed/22387408>

- Sheedy, D., Harding, A., Say, M., Stevens, J., & Kril, J. J. (2012). Histological assessment of cerebellar granule cell layer in postmortem brain; a useful marker of tissue integrity? *Cell Tissue Bank*, 13(4), 521-527. <https://www.ncbi.nlm.nih.gov/pubmed/21710172>
- Sheedy, D., Say, M., Stevens, J., Harper, C. G., & Kril, J. J. (2012). Influence of liver pathology on markers of postmortem brain tissue quality. *Alcoholism, Clinical and Experimental Research*, 36(1), 55-60. <https://www.ncbi.nlm.nih.gov/pubmed/21689123>
- Sirohi, S., Bakalkin, G., & Walker, B. M. (2012). Alcohol-induced plasticity in the dynorphin/kappa-opioid receptor system. *Frontiers in Molecular Neuroscience*, 5, 95. <https://www.ncbi.nlm.nih.gov/pubmed/23060746>
- Sterner, K. N., Weckle, A., Chugani, H. T., Tarca, A. L., Sherwood, C. C., Hof, P. R., . . . Wildman, D. E. (2012). Dynamic gene expression in the human cerebral cortex distinguishes children from adults. *PLoS One*, 7(5), e37714. <https://www.ncbi.nlm.nih.gov/pubmed/22666384>
- Sundqvist, N., Garrick, T., & Harding, A. (2012). Families' reflections on the process of brain donation following coronial autopsy. *Cell Tissue Bank*, 13(1), 89-101. <https://www.ncbi.nlm.nih.gov/pubmed/21140229>
- Walker, B. M., Valdez, G. R., McLaughlin, J. P., & Bakalkin, G. (2012). Targeting dynorphin/kappa opioid receptor systems to treat alcohol abuse and dependence. *Alcohol*, 46(4), 359-370. <https://www.ncbi.nlm.nih.gov/pubmed/22459870>
- Weickert, C. S., Tiwari, Y., Schofield, P. R., Mowry, B. J., & Fullerton, J. M. (2012). Schizophrenia-associated HapICE haplotype is associated with increased NRG1 type III expression and high nucleotide diversity. *Transl Psychiatry*, 2, e104. <https://www.ncbi.nlm.nih.gov/pubmed/22832904>
- Wong, J., Garner, B., Halliday, G. M., & Kwok, J. B. (2012). Srp20 regulates TrkB pre-mRNA splicing to generate TrkB-Shc transcripts with implications for Alzheimer's disease. *Journal of Neurochemistry*, 123(1), 159-171. <https://www.ncbi.nlm.nih.gov/pubmed/22788679>
- Wong, J., Higgins, M., Halliday, G., & Garner, B. (2012). Amyloid beta selectively modulates neuronal TrkB alternative transcript expression with implications for Alzheimer's disease. *Neuroscience*, 210, 363-374. <https://www.ncbi.nlm.nih.gov/pubmed/22426239>
- Wu, J. Q., Wang, X., Beveridge, N. J., Tooney, P. A., Scott, R. J., Carr, V. J., & Cairns, M. J. (2012). Transcriptome sequencing revealed significant alteration of cortical promoter usage and splicing in schizophrenia. *PLoS One*, 7(4), e36351. <https://www.ncbi.nlm.nih.gov/pubmed/22558445>
- Zou, J., & Crews, F. T. (2012). Inflammasome-IL-1beta Signaling Mediates Ethanol Inhibition of Hippocampal Neurogenesis. *Frontiers in Neuroscience*, 6, 77. <https://www.ncbi.nlm.nih.gov/pubmed/22661925>

2011

- Cheng, D., Jenner, A. M., Shui, G., Cheong, W. F., Mitchell, T. W., Nealon, J. R., . . . Garner, B. (2011). Lipid pathway alterations in Parkinson's disease primary visual cortex. *PLoS One*, 6(2), e17299. <https://www.ncbi.nlm.nih.gov/pubmed/21387008>
- Clark, D., Dedova, I., & Matsumoto, I. (2011). Proteomics of the Anterior Cingulate Cortex in Schizophrenia. In *Genomics, Proteomics, and the Nervous System* (Vol. 2, pp. 381-398).

- Dalton, V. S., Long, L. E., Weickert, C. S., & Zavitsanou, K. (2011). Paranoid schizophrenia is characterized by increased CB1 receptor binding in the dorsolateral prefrontal cortex. *Neuropsychopharmacology*, 36(8), 1620-1630.
<https://www.ncbi.nlm.nih.gov/pubmed/21471953>
- Elliott, D. A., Tsoi, K., Holinkova, S., Chan, S. L., Kim, W. S., Halliday, G. M., . . . Garner, B. (2011). Isoform-specific proteolysis of apolipoprotein-E in the brain. *Neurobiology of Aging*, 32(2), 257-271. <https://www.ncbi.nlm.nih.gov/pubmed/19278755>
- Etheridge, N., Mayfield, R. D., Harris, R. A., & Dodd, P. R. (2011). Identifying changes in the synaptic proteome of cirrhotic alcoholic superior frontal gyrus. *Current Neuropharmacology*, 9(1), 122-128.
<https://www.ncbi.nlm.nih.gov/pubmed/21886576>
- Frank, E., Newell, K. A., & Huang, X. F. (2011). Density of metabotropic glutamate receptors 2 and 3 (mGluR2/3) in the dorsolateral prefrontal cortex does not differ with schizophrenia diagnosis but decreases with age. *Schizophrenia Research*, 128(1-3), 56-60. <https://www.ncbi.nlm.nih.gov/pubmed/21334855>
- Fung, S. J., Joshi, D., Allen, K. M., Sivagnanasundaram, S., Rothmond, D. A., Saunders, R., . . . Weickert, C. S. (2011). Developmental patterns of doublecortin expression and white matter neuron density in the postnatal primate prefrontal cortex and schizophrenia. *PLoS One*, 6(9), e25194. <https://www.ncbi.nlm.nih.gov/pubmed/21966452>
- Fung, S. J., Sivagnanasundaram, S., & Weickert, C. S. (2011). Lack of change in markers of presynaptic terminal abundance alongside subtle reductions in markers of presynaptic terminal plasticity in prefrontal cortex of schizophrenia patients. *Biological Psychiatry*, 69(1), 71-79.
<https://www.ncbi.nlm.nih.gov/pubmed/21145444>
- Fung, S. J., Webster, M. J., & Weickert, C. S. (2011). Expression of VGluT1 and VGAT mRNAs in human dorsolateral prefrontal cortex during development and in schizophrenia. *Brain Research*, 1388, 22-31. <https://www.ncbi.nlm.nih.gov/pubmed/21396926>
- Geddes, A. E., Huang, X. F., & Newell, K. A. (2011). Reciprocal signalling between NR2 subunits of the NMDA receptor and neuregulin1 and their role in schizophrenia. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 35(4), 896-904.
<https://www.ncbi.nlm.nih.gov/pubmed/21371516>
- Huang, Y., Zheng, L., Halliday, G., Dobson-Stone, C., Wang, Y., Tang, H. D., . . . Chen, S. D. (2011). Genetic polymorphisms in sigma-1 receptor and apolipoprotein E interact to influence the severity of Alzheimer's disease. *Curr Alzheimer Res*, 8(7), 765-770.
<https://www.ncbi.nlm.nih.gov/pubmed/21605063>
<https://www.ingentaconnect.com/content/ben/car/2011/00000008/00000007/art00006;jsessionid=rgc4t2878e1k.x-ic-live-01>
<https://www.ingentaconnect.com/content/ben/car/2011/00000008/00000007/art00006>
- Jin, Z., Bazov, I., Kononenko, O., Korpi, E. R., Bakalkin, G., & Birnir, B. (2011). Selective Changes of GABA(A) Channel Subunit mRNAs in the Hippocampus and Orbitofrontal Cortex but not in Prefrontal Cortex of Human Alcoholics. *Frontiers in Cellular Neuroscience*, 5, 30. <https://www.ncbi.nlm.nih.gov/pubmed/22319468>
- Kuo, S. W., & Dodd, P. R. (2011). Electrically evoked synaptosomal amino acid transmitter release in human brain in alcohol misuse. *Neuro-Signals*, 19(3), 117-127.
<https://www.ncbi.nlm.nih.gov/pubmed/21832861>
- Lewohl, J. M., Nunez, Y. O., Dodd, P. R., Tiwari, G. R., Harris, R. A., & Mayfield, R. D. (2011). Up-regulation of microRNAs in brain of human alcoholics. *Alcoholism, Clinical and*

- Experimental Research*, 35(11), 1928-1937.
<https://www.ncbi.nlm.nih.gov/pubmed/21651580>
- Ly, L., Barnett, M. H., Zheng, Y. Z., Gulati, T., Prineas, J. W., & Crossett, B. (2011). Comprehensive tissue processing strategy for quantitative proteomics of formalin-fixed multiple sclerosis lesions. *Journal of Proteome Research*, 10(10), 4855-4868.
<https://www.ncbi.nlm.nih.gov/pubmed/21870854>
- MacKay, R. K., Colson, N. J., Dodd, P. R., & Lewohl, J. M. (2011). Differential expression of 14-3-3 isoforms in human alcoholic brain. *Alcoholism, Clinical and Experimental Research*, 35(6), 1041-1049. <https://www.ncbi.nlm.nih.gov/pubmed/21332526>
- Pamphlett, R., Morahan, J. M., Luquin, N., & Yu, B. (2011). Looking for differences in copy number between blood and brain in sporadic amyotrophic lateral sclerosis. *Muscle Nerve*, 44(4), 492-498. <https://www.ncbi.nlm.nih.gov/pubmed/21826678>
- Piguet, O., Petersen, A., Yin Ka Lam, B., Gabery, S., Murphy, K., Hodges, J. R., & Halliday, G. M. (2011). Eating and hypothalamus changes in behavioral-variant frontotemporal dementia. *Annals of Neurology*, 69(2), 312-319.
<https://www.ncbi.nlm.nih.gov/pubmed/21387376>
- Santarelli, D. M., Beveridge, N. J., Tooney, P. A., & Cairns, M. J. (2011). Upregulation of dicer and microRNA expression in the dorsolateral prefrontal cortex Brodmann area 46 in schizophrenia. *Biological Psychiatry*, 69(2), 180-187.
<https://www.ncbi.nlm.nih.gov/pubmed/21111402>
- Sinclair, D., Tsai, S. Y., Woon, H. G., & Weickert, C. S. (2011). Abnormal glucocorticoid receptor mRNA and protein isoform expression in the prefrontal cortex in psychiatric illness. *Neuropsychopharmacology*, 36(13), 2698-2709.
<https://www.ncbi.nlm.nih.gov/pubmed/21881570>
- Taqi, M. M., Bazov, I., Watanabe, H., Nyberg, F., Yakovleva, T., & Bakalkin, G. (2011). Prodynorphin promoter SNP associated with alcohol dependence forms noncanonical AP-1 binding site that may influence gene expression in human brain. *Brain Research*, 1385, 18-25. <https://www.ncbi.nlm.nih.gov/pubmed/21338584>
- Taqi, M. M., Bazov, I., Watanabe, H., Sheedy, D., Harper, C., Alkass, K., . . . Bakalkin, G. (2011). Prodynorphin CpG-SNPs associated with alcohol dependence: elevated methylation in the brain of human alcoholics. *Addiction Biology*, 16(3), 499-509.
<https://www.ncbi.nlm.nih.gov/pubmed/21521424>
- Wang, D., & Owlser, B. K. (2011). Expression of AQP1 and AQP4 in paediatric brain tumours. *Journal of Clinical Neuroscience*, 18(1), 122-127.
<https://www.ncbi.nlm.nih.gov/pubmed/20965731>
- Wong, J., Woon, H. G., & Weickert, C. S. (2011). Full length TrkB potentiates estrogen receptor alpha mediated transcription suggesting convergence of susceptibility pathways in schizophrenia. *Mol Cell Neurosci*, 46(1), 67-78.
<https://www.ncbi.nlm.nih.gov/pubmed/20801219>
- Yakovleva, T., Bazov, I., Watanabe, H., Hauser, K. F., & Bakalkin, G. (2011). Transcriptional control of maladaptive and protective responses in alcoholics: a role of the NF-kappaB system. *Brain, Behavior, and Immunity*, 25 Suppl 1, S29-38.
<https://www.ncbi.nlm.nih.gov/pubmed/21195164>
- Yang, Y., Fung, S. J., Rothwell, A., Tianmei, S., & Weickert, C. S. (2011). Increased interstitial white matter neuron density in the dorsolateral prefrontal cortex of people with schizophrenia. *Biological Psychiatry*, 69(1), 63-70.
<https://www.ncbi.nlm.nih.gov/pubmed/20974464>

- Zemtsova, I., Gorg, B., Keitel, V., Bidmon, H. J., Schror, K., & Haussinger, D. (2011). Microglia activation in hepatic encephalopathy in rats and humans. *Hepatology*, *54*(1), 204-215. <https://www.ncbi.nlm.nih.gov/pubmed/21452284>
- Zhou, J., Broe, M., Huang, Y., Anderson, J. P., Gai, W. P., Milward, E. A., . . . Halliday, G. M. (2011). Changes in the solubility and phosphorylation of alpha-synuclein over the course of Parkinson's disease. *Acta Neuropathologica*, *121*(6), 695-704. <https://www.ncbi.nlm.nih.gov/pubmed/21400129>

2010

- Beveridge, N. J., Gardiner, E., Carroll, A. P., Tooney, P. A., & Cairns, M. J. (2010). Schizophrenia is associated with an increase in cortical microRNA biogenesis. *Molecular Psychiatry*, *15*(12), 1176-1189. <https://www.ncbi.nlm.nih.gov/pubmed/19721432>
- Chen, Y., Stankovic, R., Cullen, K. M., Meininger, V., Garner, B., Coggan, S., . . . Guillemin, G. J. (2010). The kynurenine pathway and inflammation in amyotrophic lateral sclerosis. *Neurotoxicity Research*, *18*(2), 132-142. <https://www.ncbi.nlm.nih.gov/pubmed/19921535>
- Duncan, C. E., Webster, M. J., Rothmond, D. A., Bahn, S., Elashoff, M., & Shannon Weickert, C. (2010). Prefrontal GABA(A) receptor alpha-subunit expression in normal postnatal human development and schizophrenia. *Journal of Psychiatric Research*, *44*(10), 673-681. <https://www.ncbi.nlm.nih.gov/pubmed/20100621>
- Edenberg, H. J., Koller, D. L., Xuei, X., Wetherill, L., McClintick, J. N., Almasy, L., . . . Foroud, T. (2010). Genome-wide association study of alcohol dependence implicates a region on chromosome 11. *Alcoholism, Clinical and Experimental Research*, *34*(5), 840-852. <https://www.ncbi.nlm.nih.gov/pubmed/20201924>
- Elliott, D. A., Halliday, G. M., & Garner, B. (2010). Apolipoprotein-E forms dimers in human frontal cortex and hippocampus. *BMC Neuroscience*, *11*, 23. <https://www.ncbi.nlm.nih.gov/pubmed/20170526>
- Flatscher-Bader, T., Harrison, E., Matsumoto, I., & Wilce, P. A. (2010). Genes associated with alcohol abuse and tobacco smoking in the human nucleus accumbens and ventral tegmental area. *Alcoholism, Clinical and Experimental Research*, *34*(7), 1291-1302. <https://www.ncbi.nlm.nih.gov/pubmed/20477762>
- Gabery, S., Murphy, K., Schultz, K., Loy, C. T., McCusker, E., Kirik, D., . . . Petersen, A. (2010). Changes in key hypothalamic neuropeptide populations in Huntington disease revealed by neuropathological analyses. *Acta Neuropathologica*, *120*(6), 777-788. <https://www.ncbi.nlm.nih.gov/pubmed/20821223>
- Gorg, B., Qvarskhava, N., Bidmon, H. J., Palomero-Gallagher, N., Kircheis, G., Zilles, K., & Haussinger, D. (2010). Oxidative stress markers in the brain of patients with cirrhosis and hepatic encephalopathy. *Hepatology*, *52*(1), 256-265. <https://www.ncbi.nlm.nih.gov/pubmed/20583283>
- Green, A., Garrick, T., Sheedy, D., Blake, H., Shores, E. A., & Harper, C. (2010). The effect of moderate to heavy alcohol consumption on neuropsychological performance as measured by the repeatable battery for the assessment of neuropsychological status. *Alcoholism, Clinical and Experimental Research*, *34*(3), 443-450. <https://www.ncbi.nlm.nih.gov/pubmed/20028356>

- Hazell, A. S., Sheedy, D., Oanea, R., Aghourian, M., Sun, S., Jung, J. Y., . . . Wang, C. (2010). Loss of astrocytic glutamate transporters in Wernicke encephalopathy. *Glia*, *58*(2), 148-156. <https://www.ncbi.nlm.nih.gov/pubmed/19565658>
- Ho, A. M., MacKay, R. K., Dodd, P. R., & Lewohl, J. M. (2010). Association of polymorphisms in RGS4 and expression of RGS transcripts in the brains of human alcoholics. *Brain Research*, *1340*, 1-9. <https://www.ncbi.nlm.nih.gov/pubmed/20430014>
- Ishiguro, H., Horiuchi, Y., Ishikawa, M., Koga, M., Imai, K., Suzuki, Y., . . . Arinami, T. (2010). Brain cannabinoid CB2 receptor in schizophrenia. *Biological Psychiatry*, *67*(10), 974-982. <https://www.ncbi.nlm.nih.gov/pubmed/19931854>
- Ishiguro, H., Koga, M., Horiuchi, Y., Noguchi, E., Morikawa, M., Suzuki, Y., . . . Arinami, T. (2010). Supportive evidence for reduced expression of GNB1L in schizophrenia. *Schizophrenia Bulletin*, *36*(4), 756-765. <https://www.ncbi.nlm.nih.gov/pubmed/19011233>
- Kagedal, K., Kim, W. S., Appelqvist, H., Chan, S., Cheng, D., Agholme, L., . . . Garner, B. (2010). Increased expression of the lysosomal cholesterol transporter NPC1 in Alzheimer's disease. *Biochim Biophys Acta*, *1801*(8), 831-838. <https://www.ncbi.nlm.nih.gov/pubmed/20497909>
- Keitel, V., Gorg, B., Bidmon, H. J., Zemtsova, I., Spomer, L., Zilles, K., & Haussinger, D. (2010). The bile acid receptor TGR5 (Gpbar-1) acts as a neurosteroid receptor in brain. *Glia*, *58*(15), 1794-1805. <https://www.ncbi.nlm.nih.gov/pubmed/20665558>
- Kim, W. S., Bhatia, S., Elliott, D. A., Agholme, L., Kagedal, K., McCann, H., . . . Garner, B. (2010). Increased ATP-binding cassette transporter A1 expression in Alzheimer's disease hippocampal neurons. *Journal of Alzheimer's Disease*, *21*(1), 193-205. <https://www.ncbi.nlm.nih.gov/pubmed/20413849>
- Kryger, R., & Wilce, P. A. (2010). The effects of alcoholism on the human basolateral amygdala. *Neuroscience*, *167*(2), 361-371. <https://www.ncbi.nlm.nih.gov/pubmed/20153402>
- Luquin, N., Yu, B., Trent, R. J., & Pamphlett, R. (2010). DHPLC can be used to detect low-level mutations in amyotrophic lateral sclerosis. *Amyotrophic Lateral Sclerosis*, *11*(1-2), 76-82. <https://www.ncbi.nlm.nih.gov/pubmed/20184515>
- Luty, A. A., Kwok, J. B., Dobson-Stone, C., Loy, C. T., Coupland, K. G., Karlstrom, H., . . . Schofield, P. R. (2010). Sigma nonopioid intracellular receptor 1 mutations cause frontotemporal lobar degeneration-motor neuron disease. *Annals of Neurology*, *68*(5), 639-649. <https://www.ncbi.nlm.nih.gov/pubmed/21031579>
- Machaalani, R., Kashi, P. K., & Waters, K. A. (2010). Distribution of nicotinic acetylcholine receptor subunits alpha7 and beta2 in the human brainstem and hippocampal formation. *Journal of Chemical Neuroanatomy*, *40*(3), 223-231. <https://www.ncbi.nlm.nih.gov/pubmed/20566330>
- Syu, A., Ishiguro, H., Inada, T., Horiuchi, Y., Tanaka, S., Ishikawa, M., . . . Arinami, T. (2010). Association of the HSPG2 gene with neuroleptic-induced tardive dyskinesia. *Neuropsychopharmacology*, *35*(5), 1155-1164. <https://www.ncbi.nlm.nih.gov/pubmed/20072119>
- Tang, S., Machaalani, R., & Waters, K. A. (2010). Immunolocalization of pro- and mature-brain derived neurotrophic factor (BDNF) and receptor TrkB in the human brainstem and hippocampus. *Brain Research*, *1354*, 1-14. <https://www.ncbi.nlm.nih.gov/pubmed/20673758>

- Walton, J. R. (2010). Evidence for participation of aluminum in neurofibrillary tangle formation and growth in Alzheimer's disease. *Journal of Alzheimer's Disease*, 22(1), 65-72. <https://www.ncbi.nlm.nih.gov/pubmed/20847423>
- Weickert, C. S., Sheedy, D., Rothmond, D. A., Dedova, I., Fung, S., Garrick, T., . . . Harper, C. (2010). Selection of reference gene expression in a schizophrenia brain cohort. *Aust N Z J Psychiatry*, 44(1), 59-70. <https://www.ncbi.nlm.nih.gov/pubmed/20073568>
- Werry, E. L., Enjeti, S., Halliday, G. M., Sachdev, P. S., & Double, K. L. (2010). Effect of age on proliferation-regulating factors in human adult neurogenic regions. *Journal of Neurochemistry*, 115(4), 956-964. <https://www.ncbi.nlm.nih.gov/pubmed/20831616>
- Wong, J., Hyde, T. M., Cassano, H. L., Deep-Soboslay, A., Kleinman, J. E., & Weickert, C. S. (2010). Promoter specific alterations of brain-derived neurotrophic factor mRNA in schizophrenia. *Neuroscience*, 169(3), 1071-1084. <https://www.ncbi.nlm.nih.gov/pubmed/20553817>

2009

- Alexander-Kaufman, K., & Harper, C. (2009). Transketolase: observations in alcohol-related brain damage research. *International Journal of Biochemistry and Cell Biology*, 41(4), 717-720. <https://www.ncbi.nlm.nih.gov/pubmed/18490188>
- Dedova, I., Harding, A., Sheedy, D., Garrick, T., Sundqvist, N., Hunt, C., . . . Harper, C. G. (2009). The importance of brain banks for molecular neuropathological research: The New South Wales Tissue Resource Centre experience. *International Journal of Molecular Sciences*, 10(1), 366-384. <https://www.ncbi.nlm.nih.gov/pubmed/19333451>
- Etheridge, N., Lewohl, J. M., Mayfield, R. D., Harris, R. A., & Dodd, P. R. (2009). Synaptic proteome changes in the superior frontal gyrus and occipital cortex of the alcoholic brain. *Proteomics: Clinical Applications*, 3(6), 730-742. <https://www.ncbi.nlm.nih.gov/pubmed/19924264>
- Flatscher-Bader, T., & Wilce, P. A. (2009). The effect of alcohol and nicotine abuse on gene expression in the brain. *Nutrition Research Reviews*, 22(2), 148-162. <https://www.ncbi.nlm.nih.gov/pubmed/19900347>
- Garrick, T., Sundqvist, N., Dobbins, T., Azizi, L., & Harper, C. (2009). Factors that influence decisions by families to donate brain tissue for medical research. *Cell Tissue Bank*, 10(4), 309-315. <https://www.ncbi.nlm.nih.gov/pubmed/19517269>
- Glaw, X. M., Garrick, T. M., Terwee, P. J., Patching, J. R., Blake, H., & Harper, C. (2009). Brain donation: who and why? *Cell Tissue Bank*, 10(3), 241-246. <https://www.ncbi.nlm.nih.gov/pubmed/19184533>
- Grunblatt, E., Monoranu, C. M., Apfelbacher, M., Keller, D., Michel, T. M., Alafuzoff, I., . . . Riederer, P. (2009). Tryptophan is a marker of human postmortem brain tissue quality. *Journal of Neurochemistry*, 110(5), 1400-1408. <https://www.ncbi.nlm.nih.gov/pubmed/19545279>
- Hargreaves, G. A., Quinn, H., Kashem, M. A., Matsumoto, I., & McGregor, I. S. (2009). Proteomic analysis demonstrates adolescent vulnerability to lasting hippocampal changes following chronic alcohol consumption. *Alcoholism, Clinical and Experimental Research*, 33(1), 86-94. <https://www.ncbi.nlm.nih.gov/pubmed/18945221>
- Harper, C. (2009). The neuropathology of alcohol-related brain damage. *Alcohol Alcohol*, 44(2), 136-140. <https://www.ncbi.nlm.nih.gov/pubmed/19147798>

- Johansson, S., Ekstrom, T. J., Marinova, Z., Okvist, A., Sheedy, D., Garrick, T., . . . Bakalkin, G. (2009). Dysregulation of cell death machinery in the prefrontal cortex of human alcoholics. *International Journal of Neuropsychopharmacology*, *12*(1), 109-115. <https://www.ncbi.nlm.nih.gov/pubmed/18937880>
- Kashem, M. A., Etages, H. D., Kopitar-Jerala, N., McGregor, I. S., & Matsumoto, I. (2009). Differential protein expression in the corpus callosum (body) of human alcoholic brain. *Journal of Neurochemistry*, *110*(2), 486-495. <https://www.ncbi.nlm.nih.gov/pubmed/19457110>
- Kashem, M. A., Sarker, R., Des Etages, H., Machaalani, R., King, N., McGregor, I. S., & Matsumoto, I. (2009). Comparative proteomics in the corpus callosal sub-regions of postmortem human brain. *Neurochemistry International*, *55*(7), 483-490. <https://www.ncbi.nlm.nih.gov/pubmed/19433127>
- Koga, M., Ishiguro, H., Yazaki, S., Horiuchi, Y., Arai, M., Niizato, K., . . . Arinami, T. (2009). Involvement of SMARCA2/BRM in the SWI/SNF chromatin-remodeling complex in schizophrenia. *Human Molecular Genetics*, *18*(13), 2483-2494. <https://www.ncbi.nlm.nih.gov/pubmed/19363039>
- Kuzmin, A., Bazov, I., Sheedy, D., Garrick, T., Harper, C., & Bakalkin, G. (2009). Expression of pronociceptin and its receptor is downregulated in the brain of human alcoholics. *Brain Research*, *1305 Suppl*, S80-85. <https://www.ncbi.nlm.nih.gov/pubmed/19501074>
- Matsumoto, I. (2009). Proteomics approach in the study of the pathophysiology of alcohol-related brain damage. *Alcohol Alcohol*, *44*(2), 171-176. <https://www.ncbi.nlm.nih.gov/pubmed/19136498>
- Monoranu, C. M., Apfelbacher, M., Grunblatt, E., Puppe, B., Alafuzoff, I., Ferrer, I., . . . Roggendorf, W. (2009). pH measurement as quality control on human post mortem brain tissue: a study of the BrainNet Europe consortium. *Neuropathol Appl Neurobiol*, *35*(3), 329-337. <https://www.ncbi.nlm.nih.gov/pubmed/19473297>
- Morahan, J. M., Yu, B., Trent, R. J., & Pamphlett, R. (2009). A genome-wide analysis of brain DNA methylation identifies new candidate genes for sporadic amyotrophic lateral sclerosis. *Amyotrophic Lateral Sclerosis*, *10*(5-6), 418-429. <https://www.ncbi.nlm.nih.gov/pubmed/19922134>
- Nesvaderani, M., Matsumoto, I., & Sivagnanasundaram, S. (2009). Anterior hippocampus in schizophrenia pathogenesis: molecular evidence from a proteome study. *Aust N Z J Psychiatry*, *43*(4), 310-322. <https://www.ncbi.nlm.nih.gov/pubmed/19296286>
<https://journals.sagepub.com/doi/pdf/10.1080/00048670902721103>
- Pamphlett, R., Luquin, N., McLean, C., Jew, S. K., & Adams, L. (2009). TDP-43 neuropathology is similar in sporadic amyotrophic lateral sclerosis with or without TDP-43 mutations. *Neuropathol Appl Neurobiol*, *35*(2), 222-225. <https://www.ncbi.nlm.nih.gov/pubmed/18986339>
- Ridge, J. P., & Dodd, P. R. (2009). Cortical NMDA receptor expression in human chronic alcoholism: influence of the TaqIA allele of ANKK1. *Neurochemical Research*, *34*(10), 1775-1782. <https://www.ncbi.nlm.nih.gov/pubmed/19283474>
- Ridge, J. P., Ho, A. M., & Dodd, P. R. (2009). Sex differences in NMDA receptor expression in human alcoholics. *Alcohol Alcohol*, *44*(6), 594-601. <https://www.ncbi.nlm.nih.gov/pubmed/19736238>
- Sokolova, A., Hill, M. D., Rahimi, F., Warden, L. A., Halliday, G. M., & Shepherd, C. E. (2009). Monocyte chemoattractant protein-1 plays a dominant role in the chronic

- inflammation observed in Alzheimer's disease. *Brain Pathology*, 19(3), 392-398.
<https://www.ncbi.nlm.nih.gov/pubmed/18637012>
- van Eersel, J., Bi, M., Ke, Y. D., Hodges, J. R., Xuereb, J. H., Gregory, G. C., . . . Ittner, L. M. (2009). Phosphorylation of soluble tau differs in Pick's disease and Alzheimer's disease brains. *J Neural Transm (Vienna)*, 116(10), 1243-1251.
<https://www.ncbi.nlm.nih.gov/pubmed/19693433>
- Walton, J. R. (2009). Brain lesions comprised of aluminum-rich cells that lack microtubules may be associated with the cognitive deficit of Alzheimer's disease. *Neurotoxicology*, 30(6), 1059-1069. <https://www.ncbi.nlm.nih.gov/pubmed/19591863>
- Wang, J. C., Cruchaga, C., Saccone, N. L., Bertelsen, S., Liu, P., Budde, J. P., . . . collaborators, G. (2009). Risk for nicotine dependence and lung cancer is conferred by mRNA expression levels and amino acid change in CHRNA5. *Human Molecular Genetics*, 18(16), 3125-3135. <https://www.ncbi.nlm.nih.gov/pubmed/19443489>
- Wang, J. C., Gruzca, R., Cruchaga, C., Hinrichs, A. L., Bertelsen, S., Budde, J. P., . . . Goate, A. M. (2009). Genetic variation in the CHRNA5 gene affects mRNA levels and is associated with risk for alcohol dependence. *Molecular Psychiatry*, 14(5), 501-510.
<https://www.ncbi.nlm.nih.gov/pubmed/18414406>
- Watanabe, H., Henriksson, R., Ohnishi, Y. N., Ohnishi, Y. H., Harper, C., Sheedy, D., . . . Yakovleva, T. (2009). FOSB proteins in the orbitofrontal and dorsolateral prefrontal cortices of human alcoholics. *Addiction Biology*, 14(3), 294-297.
<https://www.ncbi.nlm.nih.gov/pubmed/19523044>
- Weidenhofer, J., Scott, R. J., & Tooney, P. A. (2009). Investigation of the expression of genes affecting cytomatrix active zone function in the amygdala in schizophrenia: effects of antipsychotic drugs. *Journal of Psychiatric Research*, 43(3), 282-290.
<https://www.ncbi.nlm.nih.gov/pubmed/18490030>
- 2008**
- Atkin, J. D., Farg, M. A., Walker, A. K., McLean, C., Tomas, D., & Horne, M. K. (2008). Endoplasmic reticulum stress and induction of the unfolded protein response in human sporadic amyotrophic lateral sclerosis. *Neurobiology of Disease*, 30(3), 400-407. <https://www.ncbi.nlm.nih.gov/pubmed/18440237>
- Beveridge, N. J., Tooney, P. A., Carroll, A. P., Gardiner, E., Bowden, N., Scott, R. J., . . . Cairns, M. J. (2008). Dysregulation of miRNA 181b in the temporal cortex in schizophrenia. *Human Molecular Genetics*, 17(8), 1156-1168.
<https://www.ncbi.nlm.nih.gov/pubmed/18184693>
- Bohic, S., Murphy, K., Paulus, W., Cloetens, P., Salome, M., Susini, J., & Double, K. (2008). Intracellular chemical imaging of the developmental phases of human neuromelanin using synchrotron X-ray microspectroscopy. *Analytical Chemistry*, 80(24), 9557-9566.
<https://www.ncbi.nlm.nih.gov/pubmed/19007186>
<https://pubs.acs.org/doi/pdf/10.1021/ac801817k>
- Bowden, N. A., Scott, R. J., & Tooney, P. A. (2008). Altered gene expression in the superior temporal gyrus in schizophrenia. *BMC Genomics*, 9, 199.
<https://www.ncbi.nlm.nih.gov/pubmed/18445270>
- de la Monte, S. M., Tong, M., Cohen, A. C., Sheedy, D., Harper, C., & Wands, J. R. (2008). Insulin and insulin-like growth factor resistance in alcoholic neurodegeneration. *Alcoholism, Clinical and Experimental Research*, 32(9), 1630-1644.
<https://www.ncbi.nlm.nih.gov/pubmed/18616667>

- de la Monte, S. M., Yeon, J. E., Tong, M., Longato, L., Chaudhry, R., Pang, M. Y., . . . Wands, J. R. (2008). Insulin resistance in experimental alcohol-induced liver disease. *Journal of Gastroenterology and Hepatology*, *23*(8 Pt 2), e477-486.
<https://www.ncbi.nlm.nih.gov/pubmed/18505416>
- Duncan, C. E., Chetcuti, A. F., & Schofield, P. R. (2008). Coregulation of genes in the mouse brain following treatment with clozapine, haloperidol, or olanzapine implicates altered potassium channel subunit expression in the mechanism of antipsychotic drug action. *Psychiatric Genetics*, *18*(5), 226-239.
<https://www.ncbi.nlm.nih.gov/pubmed/18797397>
- Flatscher-Bader, T., & Wilce, P. A. (2008). Impact of alcohol abuse on protein expression of midkine and excitatory amino acid transporter 1 in the human prefrontal cortex. *Alcoholism, Clinical and Experimental Research*, *32*(10), 1849-1858.
<https://www.ncbi.nlm.nih.gov/pubmed/18657127>
- Flatscher-Bader, T., Zuvela, N., Landis, N., & Wilce, P. A. (2008). Smoking and alcoholism target genes associated with plasticity and glutamate transmission in the human ventral tegmental area. *Human Molecular Genetics*, *17*(1), 38-51.
<https://www.ncbi.nlm.nih.gov/pubmed/17928304>
- Harper, C., & Matsumoto, I. (2008). Neuropathology of alcohol-related cognitive alterations. *Handbook of Clinical Neurology*, *89*, 863-872.
<https://www.ncbi.nlm.nih.gov/pubmed/18631801>
<https://www.sciencedirect.com/science/article/pii/S0072975207012754?via%3Dihub>
- Haughey, H. M., Ray, L. A., Finan, P., Villanueva, R., Niculescu, M., & Hutchison, K. E. (2008). Human gamma-aminobutyric acid A receptor alpha2 gene moderates the acute effects of alcohol and brain mRNA expression. *Genes, Brain, and Behavior*, *7*(4), 447-454. <https://www.ncbi.nlm.nih.gov/pubmed/18005236>
- He, J., & Crews, F. T. (2008). Increased MCP-1 and microglia in various regions of the human alcoholic brain. *Experimental Neurology*, *210*(2), 349-358.
<https://www.ncbi.nlm.nih.gov/pubmed/18190912>
- Henriksson, R., Kuzmin, A., Okvist, A., Harper, C., Sheedy, D., Garrick, T., . . . Bakalkin, G. (2008). Elevated synaptophysin I in the prefrontal cortex of human chronic alcoholics. *Synapse*, *62*(11), 829-833.
<https://www.ncbi.nlm.nih.gov/pubmed/18720419>
- Hutchison, K. E., Haughey, H., Niculescu, M., Schacht, J., Kaiser, A., Stitzel, J., . . . Filbey, F. (2008). The incentive salience of alcohol: translating the effects of genetic variant in CNR1. *Archives of General Psychiatry*, *65*(7), 841-850.
<https://www.ncbi.nlm.nih.gov/pubmed/18606956>
- Kashem, M. A., Harper, C., & Matsumoto, I. (2008). Differential protein expression in the corpus callosum (genu) of human alcoholics. *Neurochemistry International*, *53*(1-2), 1-11. <https://www.ncbi.nlm.nih.gov/pubmed/18513832>
- Kwok, J. B., Loy, C. T., Hamilton, G., Lau, E., Hallupp, M., Williams, J., . . . Schofield, P. R. (2008). Glycogen synthase kinase-3beta and tau genes interact in Alzheimer's disease. *Annals of Neurology*, *64*(4), 446-454.
<https://www.ncbi.nlm.nih.gov/pubmed/18991351>
- Luquin, N., Yu, B., Trent, R. J., Morahan, J. M., & Pamphlett, R. (2008). An analysis of the entire SOD1 gene in sporadic ALS. *Neuromuscular Disorders*, *18*(7), 545-552.
<https://www.ncbi.nlm.nih.gov/pubmed/18504130>

- Matsumoto, H., & Matsumoto, I. (2008). Alcoholism: protein expression profiles in a human hippocampal model. *Expert Rev Proteomics*, 5(2), 321-331. <https://www.ncbi.nlm.nih.gov/pubmed/18466060>
- Pamphlett, R., & Kum Jew, S. (2008). TDP-43 inclusions do not protect motor neurons from sporadic ALS. *Acta Neuropathologica*, 116(2), 221-222. <https://www.ncbi.nlm.nih.gov/pubmed/18521613>
- Ridge, J. P., Ho, A. M., Innes, D. J., & Dodd, P. R. (2008). The expression of NMDA receptor subunit mRNA in human chronic alcoholics. *Annals of the New York Academy of Sciences*, 1139, 10-19. <https://www.ncbi.nlm.nih.gov/pubmed/18991843>
- Ruff, M. E., & Pamphlett, R. (2008). A simple method for comparing microarray genotype data between brain and other tissues. *Journal of Neuroscience Methods*, 173(2), 315-317. <https://www.ncbi.nlm.nih.gov/pubmed/18644408>
- Saunderson, R. B., Yu, B., Trent, R. J., & Pamphlett, R. (2008). A comparison of the lengths of androgen receptor triplet repeats in brain and blood in motor neuron diseases. *Journal of the Neurological Sciences*, 267(1-2), 125-128. <https://www.ncbi.nlm.nih.gov/pubmed/17997416>
- Sheedy, D., Garrick, T., Dedova, I., Hunt, C., Miller, R., Sundqvist, N., & Harper, C. (2008). An Australian Brain Bank: a critical investment with a high return! *Cell Tissue Bank*, 9(3), 205-216. <https://www.ncbi.nlm.nih.gov/pubmed/18543078>
- Sundqvist, N., Garrick, T., Bishop, I., & Harper, C. (2008). Reliability of post-mortem psychiatric diagnosis for neuroscience research. *Aust N Z J Psychiatry*, 42(3), 221-227. <https://www.ncbi.nlm.nih.gov/pubmed/18247197>
<https://journals.sagepub.com/doi/pdf/10.1080/00048670701827242>
- Thomson, A. D., Cook, C. C., Guerrini, I., Sheedy, D., Harper, C., & Marshall, E. J. (2008a). Wernicke's encephalopathy revisited. Translation of the case history section of the original manuscript by Carl Wernicke 'Lehrbuch der Gehirnkrankheiten für Aerzte und Studirende' (1881) with a commentary. *Alcohol Alcohol*, 43(2), 174-179. <https://www.ncbi.nlm.nih.gov/pubmed/18056751>
- Thomson, A. D., Cook, C. C., Guerrini, I., Sheedy, D., Harper, C., & Marshall, E. J. (2008b). Wernicke's encephalopathy: 'Plus ça change, plus c'est la même chose'. *Alcohol Alcohol*, 43(2), 180-186. <https://www.ncbi.nlm.nih.gov/pubmed/17959615>
- Zavitsanou, K., Nguyen, V., Newell, K., Ballantyne, P., & Huang, X. F. (2008). Rapid cortico-limbic alterations in AMPA receptor densities after administration of PCP: implications for schizophrenia. *Journal of Chemical Neuroanatomy*, 36(2), 71-76. <https://www.ncbi.nlm.nih.gov/pubmed/18640263>

2007

- Alexander-Kaufman, K., Cordwell, S., Harper, C., & Matsumoto, I. (2007). A proteome analysis of the dorsolateral prefrontal cortex in human alcoholic patients. *Proteomics: Clinical Applications*, 1(1), 62-72. <https://www.ncbi.nlm.nih.gov/pubmed/21136612>
- Alexander-Kaufman, K., Dedova, I., Harper, C., & Matsumoto, I. (2007). Proteome analysis of the dorsolateral prefrontal region from healthy individuals. *Neurochemistry International*, 51(6-7), 433-439. <https://www.ncbi.nlm.nih.gov/pubmed/17590479>
- Alexander-Kaufman, K., Harper, C., Wilce, P., & Matsumoto, I. (2007). Cerebellar vermis proteome of chronic alcoholic individuals. *Alcoholism, Clinical and Experimental Research*, 31(8), 1286-1296. <https://www.ncbi.nlm.nih.gov/pubmed/17561921>

- Bowden, N. A., Scott, R. J., & Tooney, P. A. (2007). Altered expression of regulator of G-protein signalling 4 (RGS4) mRNA in the superior temporal gyrus in schizophrenia. *Schizophrenia Research*, 89(1-3), 165-168.
<https://www.ncbi.nlm.nih.gov/pubmed/17071056>
- Clark, D., Dedova, I., Cordwell, S., & Matsumoto, I. (2007). Altered proteins of the anterior cingulate cortex white matter proteome in schizophrenia. *Proteomics: Clinical Applications*, 1(2), 157-166. <https://www.ncbi.nlm.nih.gov/pubmed/21136665>
- de las Heras, R., Depaz, I., Jaquet, V., Kroon, P., & Wilce, P. A. (2007). Neuronal protein 22 colocalises with both the microtubule and microfilament cytoskeleton in neurite-like processes. *Brain Research*, 1128(1), 12-20.
<https://www.ncbi.nlm.nih.gov/pubmed/17123483>
- Deng, C., Han, M., & Huang, X. F. (2007). No changes in densities of cannabinoid receptors in the superior temporal gyrus in schizophrenia. *Neuroscience Bulletin*, 23(6), 341-347.
<https://www.ncbi.nlm.nih.gov/pubmed/18064064>
- Guillemin, G. J., Brew, B. J., Noonan, C. E., Knight, T. G., Smythe, G. A., & Cullen, K. M. (2007). Mass spectrometric detection of quinolinic acid in microdissected Alzheimer's disease plaques. *International Congress Series*, 1304, 404-408.
<https://www.sciencedirect.com/science/article/pii/S0531513107004190?via%3Dihub>
- Harper, C. (2007). The neurotoxicity of alcohol. *Hum Exp Toxicol*, 26(3), 251-257.
<https://www.ncbi.nlm.nih.gov/pubmed/17439928>
<https://journals.sagepub.com/doi/pdf/10.1177/0960327107070499>
- Hutchison, K. E., Allen, D. L., Filbey, F. M., Jepson, C., Lerman, C., Benowitz, N. L., . . . Haughey, H. M. (2007). CHRNA4 and tobacco dependence: from gene regulation to treatment outcome. *Archives of General Psychiatry*, 64(9), 1078-1086.
<https://www.ncbi.nlm.nih.gov/pubmed/17768273>
- Ishiguro, H., Iwasaki, S., Teasenfitz, L., Higuchi, S., Horiuchi, Y., Saito, T., . . . Onaivi, E. S. (2007). Involvement of cannabinoid CB2 receptor in alcohol preference in mice and alcoholism in humans. *Pharmacogenomics Journal*, 7(6), 380-385.
<https://www.ncbi.nlm.nih.gov/pubmed/17189959>
- Johansson, S., Fuchs, A., Okvist, A., Karimi, M., Harper, C., Garrick, T., . . . Ekstrom, T. J. (2007). Validation of endogenous controls for quantitative gene expression analysis: application on brain cortices of human chronic alcoholics. *Brain Research*, 1132(1), 20-28. <https://www.ncbi.nlm.nih.gov/pubmed/17188656>
- Kashem, M. A., James, G., Harper, C., Wilce, P., & Matsumoto, I. (2007). Differential protein expression in the corpus callosum (splenium) of human alcoholics: a proteomics study. *Neurochemistry International*, 50(2), 450-459.
<https://www.ncbi.nlm.nih.gov/pubmed/17141922>
- Liu, J., Lewohl, J. M., Harris, R. A., Dodd, P. R., & Mayfield, R. D. (2007). Altered gene expression profiles in the frontal cortex of cirrhotic alcoholics. *Alcoholism, Clinical and Experimental Research*, 31(9), 1460-1466.
<https://www.ncbi.nlm.nih.gov/pubmed/17625000>
- Matsuda-Matsumoto, H., Iwazaki, T., Kashem, M. A., Harper, C., & Matsumoto, I. (2007). Differential protein expression profiles in the hippocampus of human alcoholics. *Neurochemistry International*, 51(6-7), 370-376.
<https://www.ncbi.nlm.nih.gov/pubmed/17513015>

- Matsumoto, I., Alexander-Kaufman, K., Iwazaki, T., Kashem, M. A., & Matsuda-Matsumoto, H. (2007). CNS proteomes in alcohol and drug abuse and dependence. *Expert Rev Proteomics*, 4(4), 539-552. <https://www.ncbi.nlm.nih.gov/pubmed/17705711>
- Morahan, J. M., Yu, B., Trent, R. J., & Pamphlett, R. (2007). Are metallothionein genes silenced in ALS? *Toxicology Letters*, 168(1), 83-87. <https://www.ncbi.nlm.nih.gov/pubmed/17156946>
- Newell, K. A., Zavitsanou, K., Jew, S. K., & Huang, X. F. (2007). Alterations of muscarinic and GABA receptor binding in the posterior cingulate cortex in schizophrenia. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 31(1), 225-233. <https://www.ncbi.nlm.nih.gov/pubmed/16901598>
- Oates, N., & Pamphlett, R. (2007). An epigenetic analysis of SOD1 and VEGF in ALS. *Amyotrophic Lateral Sclerosis*, 8(2), 83-86. <https://www.ncbi.nlm.nih.gov/pubmed/17453634>
- Okvist, A., Johansson, S., Kuzmin, A., Bazov, I., Merino-Martinez, R., Ponomarev, I., . . . Yakovleva, T. (2007). Neuroadaptations in human chronic alcoholics: dysregulation of the NF-kappaB system. *PLoS One*, 2(9), e930. <https://www.ncbi.nlm.nih.gov/pubmed/17895971>
- Sivagnanasundaram, S., Crossett, B., Dedova, I., Cordwell, S., & Matsumoto, I. (2007). Abnormal pathways in the genu of the corpus callosum in schizophrenia pathogenesis: a proteome study. *Proteomics: Clinical Applications*, 1(10), 1291-1305. <https://www.ncbi.nlm.nih.gov/pubmed/21136626>
- Song, Y. J., Lundvig, D. M., Huang, Y., Gai, W. P., Blumbergs, P. C., Hojrup, P., . . . Jensen, P. H. (2007). p25alpha relocates in oligodendroglia from myelin to cytoplasmic inclusions in multiple system atrophy. *American Journal of Pathology*, 171(4), 1291-1303. <https://www.ncbi.nlm.nih.gov/pubmed/17823288>
- Sutherland, G. T., Nowak, G., Halliday, G. M., & Kril, J. J. (2007). Tau isoform expression in frontotemporal dementia without tau deposition. *Journal of Clinical Neuroscience*, 14(12), 1182-1185. <https://www.ncbi.nlm.nih.gov/pubmed/17976991>
- Taylor, J. M., Song, Y. J., Huang, Y., Farrer, M. J., Delatycki, M. B., Halliday, G. M., & Lockhart, P. J. (2007). Parkin Co-Regulated Gene (PACRG) is regulated by the ubiquitin-proteasomal system and is present in the pathological features of Parkinsonian diseases. *Neurobiology of Disease*, 27(2), 238-247. <https://www.ncbi.nlm.nih.gov/pubmed/17590346>
- Wheeler, D. G., & Harper, C. G. (2007). Localised reductions in gyrification in the posterior cingulate: schizophrenia and controls. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 31(2), 319-327. <https://www.ncbi.nlm.nih.gov/pubmed/17081668>

2006

- Alexander-Kaufman, K., James, G., Sheedy, D., Harper, C., & Matsumoto, I. (2006). Differential protein expression in the prefrontal white matter of human alcoholics: a proteomics study. *Molecular Psychiatry*, 11(1), 56-65. <https://www.ncbi.nlm.nih.gov/pubmed/16172612>
- Azizi, L., Garrick, T. M., & Harper, C. G. (2006). Brain donation for research: strong support in Australia. *Journal of Clinical Neuroscience*, 13(4), 449-452. <https://www.ncbi.nlm.nih.gov/pubmed/16678717>

- Blair, I. P., Chetcuti, A. F., Badenhop, R. F., Scimone, A., Moses, M. J., Adams, L. J., . . . Schofield, P. R. (2006). Positional cloning, association analysis and expression studies provide convergent evidence that the cadherin gene FAT contains a bipolar disorder susceptibility allele. *Molecular Psychiatry*, *11*(4), 372-383.
<https://www.ncbi.nlm.nih.gov/pubmed/16402135>
- Bowden, N. A., Weidenhofer, J., Scott, R. J., Schall, U., Todd, J., Michie, P. T., & Tooney, P. A. (2006). Preliminary investigation of gene expression profiles in peripheral blood lymphocytes in schizophrenia. *Schizophrenia Research*, *82*(2-3), 175-183.
<https://www.ncbi.nlm.nih.gov/pubmed/16414245>
- Buckley, S. T., Foley, P. F., Innes, D. J., Loh el, W., Shen, Y., Williams, S. M., . . . Dodd, P. R. (2006). GABA(A) receptor beta isoform protein expression in human alcoholic brain: interaction with genotype. *Neurochemistry International*, *49*(6), 557-567.
<https://www.ncbi.nlm.nih.gov/pubmed/16766085>
- Clark, D., Dedova, I., Cordwell, S., & Matsumoto, I. (2006). A proteome analysis of the anterior cingulate cortex gray matter in schizophrenia. *Molecular Psychiatry*, *11*(5), 459-470, 423. <https://www.ncbi.nlm.nih.gov/pubmed/16491132>
- Deng, C., & Huang, X. F. (2006). Increased density of GABAA receptors in the superior temporal gyrus in schizophrenia. *Experimental Brain Research*, *168*(4), 587-590.
<https://www.ncbi.nlm.nih.gov/pubmed/16362364>
- Depaz, I. M., & Wilce, P. A. (2006). The novel cytoskeleton-associated protein Neuronal protein 22: elevated expression in the developing rat brain. *Brain Research*, *1081*(1), 59-64. <https://www.ncbi.nlm.nih.gov/pubmed/16542643>
- Dodd, P. R., Buckley, S. T., Eckert, A. L., Foley, P. F., & Innes, D. J. (2006). Genes and gene expression in the brains of human alcoholics. *Annals of the New York Academy of Sciences*, *1074*, 104-115. <https://www.ncbi.nlm.nih.gov/pubmed/17105908>
- Fedorow, H., Halliday, G. M., Rickert, C. H., Gerlach, M., Riederer, P., & Double, K. L. (2006). Evidence for specific phases in the development of human neuromelanin. *Neurobiology of Aging*, *27*(3), 506-512.
<https://www.ncbi.nlm.nih.gov/pubmed/15916835>
- Flatscher-Bader, T., van der Brug, M. P., Landis, N., Hwang, J. W., Harrison, E., & Wilce, P. A. (2006). Comparative gene expression in brain regions of human alcoholics. *Genes, Brain, and Behavior*, *5* Suppl 1, 78-84.
<https://www.ncbi.nlm.nih.gov/pubmed/16417620>
- Flatscher-Bader, T., & Wilce, P. A. (2006). Chronic smoking and alcoholism change expression of selective genes in the human prefrontal cortex. *Alcoholism, Clinical and Experimental Research*, *30*(5), 908-915.
<https://www.ncbi.nlm.nih.gov/pubmed/16634861>
- Garrick, T., Glaw, X., Harper, C. G., & North, A. (2006). The diagnosis is critical for psychiatric brain banks: an interrater reliability study. *Aust N Z J Psychiatry*, *40*(6-7), 606-607.
<https://www.ncbi.nlm.nih.gov/pubmed/16756587>
- Garrick, T., Howell, S., Terwee, P., Redenbach, J., Blake, H., & Harper, C. (2006). Brain donation for research: who donates and why? *Journal of Clinical Neuroscience*, *13*(5), 524-528. <https://www.ncbi.nlm.nih.gov/pubmed/16678423>
- Halliday, G. M., Fedorow, H., Rickert, C. H., Gerlach, M., Riederer, P., & Double, K. L. (2006). Evidence for specific phases in the development of human neuromelanin. *J Neural Transm (Vienna)*, *113*(6), 721-728.
<https://www.ncbi.nlm.nih.gov/pubmed/16604299>

- Kapoor, R., Lim, K. S., Cheng, A., Garrick, T., & Kapoor, V. (2006). Preliminary evidence for a link between schizophrenia and NMDA-glycine site receptor ligand metabolic enzymes, d-amino acid oxidase (DAAO) and kynurenine aminotransferase-1 (KAT-1). *Brain Research*, 1106(1), 205-210. <https://www.ncbi.nlm.nih.gov/pubmed/16828464>
- Liu, J., Lewohl, J. M., Harris, R. A., Iyer, V. R., Dodd, P. R., Randall, P. K., & Mayfield, R. D. (2006). Patterns of gene expression in the frontal cortex discriminate alcoholic from nonalcoholic individuals. *Neuropsychopharmacology*, 31(7), 1574-1582. <https://www.ncbi.nlm.nih.gov/pubmed/16292326>
- Newell, K. A., Deng, C., & Huang, X. F. (2006). Increased cannabinoid receptor density in the posterior cingulate cortex in schizophrenia. *Experimental Brain Research*, 172(4), 556-560. <https://www.ncbi.nlm.nih.gov/pubmed/16710682>
- Shepherd, C. E., Goyette, J., Utter, V., Rahimi, F., Yang, Z., Geczy, C. L., & Halliday, G. M. (2006). Inflammatory S100A9 and S100A12 proteins in Alzheimer's disease. *Neurobiology of Aging*, 27(11), 1554-1563. <https://www.ncbi.nlm.nih.gov/pubmed/16253391>
- Weidenhofer, J., Bowden, N. A., Scott, R. J., & Tooney, P. A. (2006). Altered gene expression in the amygdala in schizophrenia: up-regulation of genes located in the cytomatrix active zone. *Mol Cell Neurosci*, 31(2), 243-250. <https://www.ncbi.nlm.nih.gov/pubmed/16236523>
- Weidenhofer, J., Yip, J., Zavitsanou, K., Huang, X. F., Chahl, L. A., & Tooney, P. A. (2006). Immunohistochemical localisation of the NK1 receptor in the human amygdala: preliminary investigation in schizophrenia. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 30(7), 1313-1321. <https://www.ncbi.nlm.nih.gov/pubmed/16815618>
- Wheeler, D. G., Dixon, G., & Harper, C. G. (2006). No differences in calcium-binding protein immunoreactivity in the posterior cingulate and visual cortex: schizophrenia and controls. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 30(4), 630-639. <https://www.ncbi.nlm.nih.gov/pubmed/16503370>

2005

- Blair, I. P., Badenhop, R. F., Scimone, A., Moses, M. J., Donald, J. A., Mitchell, P. B., & Schofield, P. R. (2005). Identification, characterization, and association analysis of novel genes from the bipolar disorder susceptibility locus on chromosome 4q35. *Psychiatric Genetics*, 15(3), 199-204. <https://www.ncbi.nlm.nih.gov/pubmed/16094255>
- Blair, I. P., Badenhop, R. F., Scimone, A., Moses, M. J., Kerr, N. P., Donald, J. A., . . . Schofield, P. R. (2005). Association analysis of transcripts from the bipolar susceptibility locus on chromosome 4q35, exclusion of a pathogenic role for eight positional candidate genes. *American Journal of Medical Genetics. Part B: Neuropsychiatric Genetics*, 134B(1), 56-59. <https://www.ncbi.nlm.nih.gov/pubmed/15717290>
- Crews, F. T., Buckley, T., Dodd, P. R., Ende, G., Foley, N., Harper, C., . . . Sullivan, E. V. (2005). Alcoholic neurobiology: changes in dependence and recovery. *Alcoholism, Clinical and Experimental Research*, 29(8), 1504-1513. <https://www.ncbi.nlm.nih.gov/pubmed/16156047>
- Cullen, K. M., Kocsi, Z., & Stone, J. (2005). Pericapillary haem-rich deposits: evidence for microhaemorrhages in aging human cerebral cortex. *Journal of Cerebral Blood Flow*

- and Metabolism*, 25(12), 1656-1667.
<https://www.ncbi.nlm.nih.gov/pubmed/15917745>
- Deng, C., & Huang, X. F. (2005). Decreased density of muscarinic receptors in the superior temporal gyrus in schizophrenia. *Journal of Neuroscience Research*, 81(6), 883-890.
<https://www.ncbi.nlm.nih.gov/pubmed/16041805>
- Depaz, I. M., de Las Heras, R., Kroon, P. A., & Wilce, P. A. (2005). Changes in neuronal protein 22 expression and cytoskeletal association in the alcohol-dependent and withdrawn rat brain. *Journal of Neuroscience Research*, 81(2), 253-260.
<https://www.ncbi.nlm.nih.gov/pubmed/15948156>
- Eyles, D. W., Smith, S., Kinobe, R., Hewison, M., & McGrath, J. J. (2005). Distribution of the vitamin D receptor and 1 alpha-hydroxylase in human brain. *Journal of Chemical Neuroanatomy*, 29(1), 21-30. <https://www.ncbi.nlm.nih.gov/pubmed/15589699>
- Flatscher-Bader, T., van der Brug, M., Hwang, J. W., Gochee, P. A., Matsumoto, I., Niwa, S., & Wilce, P. A. (2005). Alcohol-responsive genes in the frontal cortex and nucleus accumbens of human alcoholics. *Journal of Neurochemistry*, 93(2), 359-370.
<https://www.ncbi.nlm.nih.gov/pubmed/15816859>
- Gibson, J. H., Williamson, S. L., Arbuckle, S., & Christodoulou, J. (2005). X chromosome inactivation patterns in brain in Rett syndrome: implications for the disease phenotype. *Brain and Development*, 27(4), 266-270.
<https://www.ncbi.nlm.nih.gov/pubmed/15862188>
- Guerrini, I., Thomson, A. D., Cook, C. C., McQuillin, A., Sharma, V., Kopelman, M., . . . Gurling, H. M. (2005). Direct genomic PCR sequencing of the high affinity thiamine transporter (SLC19A2) gene identifies three genetic variants in Wernicke Korsakoff syndrome (WKS). *American Journal of Medical Genetics. Part B: Neuropsychiatric Genetics*, 137B(1), 17-19. <https://www.ncbi.nlm.nih.gov/pubmed/16015585>
- Guillemin, G. J., Brew, B. J., Noonan, C. E., Takikawa, O., & Cullen, K. M. (2005). Indoleamine 2,3-dioxygenase and quinolinic acid immunoreactivity in Alzheimer's disease hippocampus. *Neuropathol Appl Neurobiol*, 31(4), 395-404.
<https://www.ncbi.nlm.nih.gov/pubmed/16008823>
- Guillemin, G. J., Smythe, G., Takikawa, O., & Brew, B. J. (2005). Expression of indoleamine 2,3-dioxygenase and production of quinolinic acid by human microglia, astrocytes, and neurons. *Glia*, 49(1), 15-23. <https://www.ncbi.nlm.nih.gov/pubmed/15390107>
- Harper, C., & Matsumoto, I. (2005). Ethanol and brain damage. *Current Opinion in Pharmacology*, 5(1), 73-78. <https://www.ncbi.nlm.nih.gov/pubmed/15661629>
- Harper, C., Matsumoto, I., Pfefferbaum, A., Adalsteinsson, E., Sullivan, E. V., Lewohl, J., . . . Landman, B. (2005). The pathophysiology of 'brain shrinkage' in alcoholics - Structural and molecular changes and clinical implications. *Alcoholism-Clinical and Experimental Research*, 29(6), 1106-1115. <Go to ISI>://WOS:000230212900023
<https://onlinelibrary.wiley.com/doi/pdfdirect/10.1097/01.ALC.0000171490.09017.A9?download=true>
- Ito, M., Depaz, I., Wilce, P., Suzuki, T., Niwa, S., & Matsumoto, I. (2005). Expression of human neuronal protein 22, a novel cytoskeleton-associated protein, was decreased in the anterior cingulate cortex of schizophrenia. *Neuroscience Letters*, 378(3), 125-130. <https://www.ncbi.nlm.nih.gov/pubmed/15781144>
- Jones, A. L., Mowry, B. J., Pender, M. P., & Greer, J. M. (2005). Immune dysregulation and self-reactivity in schizophrenia: do some cases of schizophrenia have an autoimmune

basis? *Immunol Cell Biol*, 83(1), 9-17.

<https://www.ncbi.nlm.nih.gov/pubmed/15661036>

Lewohl, J. M., Wixey, J., Harper, C. G., & Dodd, P. R. (2005). Expression of MBP, PLP, MAG, CNP, and GFAP in the Human Alcoholic Brain. *Alcoholism, Clinical and Experimental Research*, 29(9), 1698-1705. <https://www.ncbi.nlm.nih.gov/pubmed/16205370>

Matsumoto, I., Inoue, Y., Iwazaki, T., Pavey, G., & Dean, B. (2005). 5-HT_{2A} and muscarinic receptors in schizophrenia: a postmortem study. *Neuroscience Letters*, 379(3), 164-168. <https://www.ncbi.nlm.nih.gov/pubmed/15843056>

Newell, K. A., Zavitsanou, K., & Huang, X. F. (2005). Ionotropic glutamate receptor binding in the posterior cingulate cortex in schizophrenia patients. *Neuroreport*, 16(12), 1363-1367. <https://www.ncbi.nlm.nih.gov/pubmed/16056140>

Pamphlett, R., Kum-Jew, S., & King, N. J. (2005). Flaviviruses in motor neuron disease.

Muscle Nerve, 32(1), 108-109. <https://www.ncbi.nlm.nih.gov/pubmed/15779013>

Ryabinin, A. E., Tsivkovskaia, N. O., & Ryabinin, S. A. (2005). Urocortin 1-containing neurons in the human Edinger-Westphal nucleus. *Neuroscience*, 134(4), 1317-1323.

<https://www.ncbi.nlm.nih.gov/pubmed/16039794>

2004

Buckley, S. T., & Dodd, P. R. (2004). GABA_A receptor beta subunit mRNA expression in the human alcoholic brain. *Neurochemistry International*, 45(7), 1011-1020.

<https://www.ncbi.nlm.nih.gov/pubmed/15337300>

Dean, B. (2004a). M1 receptor agonism, a possible treatment for cognitive deficits in schizophrenia. *Neuropsychopharmacology*, 29(8), 1583-1584; author reply 1585-1586. <https://www.ncbi.nlm.nih.gov/pubmed/15266348>

Dean, B. (2004b). Role of muscarinic receptors in the pathology of schizophrenia. *American Journal of Medical Genetics. Part B: Neuropsychiatric Genetics*, 126B(1), 8-9.

<https://www.ncbi.nlm.nih.gov/pubmed/15048640>

Dean, B. (2004c). The neurobiology of bipolar disorder: findings using human postmortem central nervous system tissue. *Aust N Z J Psychiatry*, 38(3), 135-140.

<https://www.ncbi.nlm.nih.gov/pubmed/14961931>

Dean, B., Pavey, G., Scarr, E., Goeringer, K., & Copolov, D. L. (2004). Measurement of dopamine D₂-like receptors in postmortem CNS and pituitary: differential regional changes in schizophrenia. *Life Sciences*, 74(25), 3115-3131.

<https://www.ncbi.nlm.nih.gov/pubmed/15081577>

Dixon, G., Garrick, T., Whiteman, I., Sarris, M., Sithamparanathan, S., & Harper, C. G. (2004). Characterization of gabaergic neurons within the human medial mamillary nucleus.

Neuroscience, 127(2), 365-372. <https://www.ncbi.nlm.nih.gov/pubmed/15262327>

Dixon, G., & Harper, C. G. (2004). No evidence for selective GABAergic interneuron deficits in the anterior thalamic complex of patients with schizophrenia. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 28(6), 1045-1051.

<https://www.ncbi.nlm.nih.gov/pubmed/15380866>

Fan, L., Bellinger, F., Ge, Y. L., & Wilce, P. (2004). Genetic study of alcoholism and novel gene expression in the alcoholic brain. *Addiction Biology*, 9(1), 11-18.

<https://www.ncbi.nlm.nih.gov/pubmed/15203434>

<https://onlinelibrary.wiley.com/doi/pdfdirect/10.1080/13556210410001674040?download=true>

- Foley, P. F., Loh, E. W., Innes, D. J., Williams, S. M., Tannenberg, A. E., Harper, C. G., & Dodd, P. R. (2004). Association studies of neurotransmitter gene polymorphisms in alcoholic Caucasians. *Annals of the New York Academy of Sciences*, 1025, 39-46. <https://www.ncbi.nlm.nih.gov/pubmed/15542698>
- Iwazaki, T., Shibata, I., Niwa, S., & Matsumoto, I. (2004). Selective reduction of chromogranin A-like immunoreactivities in the prefrontal cortex of schizophrenic subjects: a postmortem study. *Neuroscience Letters*, 367(3), 293-297. <https://www.ncbi.nlm.nih.gov/pubmed/15337252>
- Lewohl, J. M., Van Dyk, D. D., Craft, G. E., Innes, D. J., Mayfield, R. D., Cobon, G., . . . Dodd, P. R. (2004). The application of proteomics to the human alcoholic brain. *Annals of the New York Academy of Sciences*, 1025, 14-26. <https://www.ncbi.nlm.nih.gov/pubmed/15542695>
- Liu, J., Lewohl, J. M., Dodd, P. R., Randall, P. K., Harris, R. A., & Mayfield, R. D. (2004). Gene expression profiling of individual cases reveals consistent transcriptional changes in alcoholic human brain. *Journal of Neurochemistry*, 90(5), 1050-1058. <https://www.ncbi.nlm.nih.gov/pubmed/15312160>
- Mackay-Sim, A., Feron, F., Eyles, D., Burne, T., & McGrath, J. (2004). Schizophrenia, vitamin D, and brain development. *International Review of Neurobiology*, 59, 351-380. <https://www.ncbi.nlm.nih.gov/pubmed/15006495>
- Pfefferbaum, A., Sullivan, E. V., Adalsteinsson, E., Garrick, T., & Harper, C. (2004). Postmortem MR imaging of formalin-fixed human brain. *NeuroImage*, 21(4), 1585-1595. <https://www.ncbi.nlm.nih.gov/pubmed/15050582>
- Schleimer, S. B., Hinton, T., Dixon, G., & Johnston, G. A. (2004). GABA transporters GAT-1 and GAT-3 in the human dorsolateral prefrontal cortex in schizophrenia. *Neuropsychobiology*, 50(3), 226-230. <https://www.ncbi.nlm.nih.gov/pubmed/15365220>
- Tooney, P. A., & Chahl, L. A. (2004). Neurons expressing calcium-binding proteins in the prefrontal cortex in schizophrenia. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 28(2), 273-278. <https://www.ncbi.nlm.nih.gov/pubmed/14751422>
- Verdile, G., Gnjec, A., Miklossy, J., Fonte, J., Veurink, G., Bates, K., . . . Martins, R. N. (2004). Protein markers for Alzheimer disease in the frontal cortex and cerebellum. *Neurology*, 63(8), 1385-1392. <https://www.ncbi.nlm.nih.gov/pubmed/15505153>
- Walton, J. R. (2004). A bright field/fluorescent stain for aluminum: its specificity, validation, and staining characteristics. *Biotechnic and Histochemistry*, 79(5-6), 169-176. <https://www.ncbi.nlm.nih.gov/pubmed/15764283>
- Zavitsanou, K., Garrick, T., & Huang, X. F. (2004). Selective antagonist [3H]SR141716A binding to cannabinoid CB1 receptors is increased in the anterior cingulate cortex in schizophrenia. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 28(2), 355-360. <https://www.ncbi.nlm.nih.gov/pubmed/14751433>
- Zavitsanou, K., Katsifis, A., Mattner, F., & Huang, X. F. (2004). Investigation of m1/m4 muscarinic receptors in the anterior cingulate cortex in schizophrenia, bipolar disorder, and major depression disorder. *Neuropsychopharmacology*, 29(3), 619-625. <https://www.ncbi.nlm.nih.gov/pubmed/14694353>

2003

- Buckley, S. T., & Dodd, P. R. (2003). Quantitation of human brain GABAA receptor beta isoforms by competitive RT-PCR. *Brain Research: Brain Research Protocols*, 11(1), 19-26. <https://www.ncbi.nlm.nih.gov/pubmed/12697259>
- Clark, I. A., Awburn, M. M., Harper, C. G., Liomba, N. G., & Molyneux, M. E. (2003). Induction of HO-1 in tissue macrophages and monocytes in fatal falciparum malaria and sepsis. *Malaria Journal*, 2(1), 41. <https://www.ncbi.nlm.nih.gov/pubmed/14624702>
- Clark, I. A., Awburn, M. M., Whitten, R. O., Harper, C. G., Liomba, N. G., Molyneux, M. E., & Taylor, T. E. (2003). Tissue distribution of migration inhibitory factor and inducible nitric oxide synthase in falciparum malaria and sepsis in African children. *Malaria Journal*, 2, 6. <https://www.ncbi.nlm.nih.gov/pubmed/12716455>
- Dean, B. (2003a). [3H]RX 821002 in human dorsolateral prefrontal cortex: no changes in postmortem tissue from subjects with schizophrenia. *Psychiatry Research*, 119(1-2), 25-31. <https://www.ncbi.nlm.nih.gov/pubmed/12860357>
- Dean, B. (2003b). The cortical serotonin2A receptor and the pathology of schizophrenia: a likely accomplice. *Journal of Neurochemistry*, 85(1), 1-13. <https://www.ncbi.nlm.nih.gov/pubmed/12641722>
- Dean, B., Laws, S. M., Hone, E., Taddei, K., Scarr, E., Thomas, E. A., . . . Martins, R. N. (2003). Increased levels of apolipoprotein E in the frontal cortex of subjects with schizophrenia. *Biological Psychiatry*, 54(6), 616-622. <https://www.ncbi.nlm.nih.gov/pubmed/13129656>
- Depaz, I., Ito, M., Matsumoto, I., Niwa, S., Kroon, P., & Wilce, P. A. (2003). Expression of hNP22 is altered in the frontal cortex and hippocampus of the alcoholic human brain. *Alcoholism, Clinical and Experimental Research*, 27(9), 1481-1488. <https://www.ncbi.nlm.nih.gov/pubmed/14506410>
- Garrick, T., Azizi, L., Merrick, J., & Harper, C. (2003). Brain donation for research, what do people say? *Internal Medicine Journal*, 33(9-10), 475. <https://www.ncbi.nlm.nih.gov/pubmed/14511206>
<https://onlinelibrary.wiley.com/doi/pdfdirect/10.1046/j.1445-5994.2003.00439.x?download=true>
- Harper, C., Dixon, G., Sheedy, D., & Garrick, T. (2003). Neuropathological alterations in alcoholic brains. Studies arising from the New South Wales Tissue Resource Centre. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 27(6), 951-961. <https://www.ncbi.nlm.nih.gov/pubmed/14499312>
- Harper, C., Garrick, T., Matsumoto, I., Pfefferbaum, A., Adalsteinsson, E., Sullivan, E., . . . Butterworth, R. (2003). How important are brain banks for alcohol research? *Alcoholism, Clinical and Experimental Research*, 27(2), 310-323. <https://www.ncbi.nlm.nih.gov/pubmed/12605081>
- Hoffman, P. L., Miles, M., Edenberg, H. J., Sommer, W., Tabakoff, B., Wehner, J. M., & Lewohl, J. (2003). Gene expression in brain: a window on ethanol dependence, neuroadaptation, and preference. *Alcoholism, Clinical and Experimental Research*, 27(2), 155-168. <https://www.ncbi.nlm.nih.gov/pubmed/12605065>
- Hynd, M. R., Lewohl, J. M., Scott, H. L., & Dodd, P. R. (2003). Biochemical and molecular studies using human autopsy brain tissue. *Journal of Neurochemistry*, 85(3), 543-562. <https://www.ncbi.nlm.nih.gov/pubmed/12694381>

- Ikegami, Y., Goodenough, S., Inoue, Y., Dodd, P. R., Wilce, P. A., & Matsumoto, I. (2003). Increased TUNEL positive cells in human alcoholic brains. *Neuroscience Letters*, 349(3), 201-205. <https://www.ncbi.nlm.nih.gov/pubmed/12951203>
- Mayfield, R. D., Liu, J., Randall, P. K., Lewohl, J. M., Dodd, P. R., & Harris, R. A. (2003). Methods for the identification of differentially expressed genes in human post-mortem brain. *Methods*, 31(4), 301-305. <https://www.ncbi.nlm.nih.gov/pubmed/14597314>
- Sheedy, D. L., Garrick, T. M., Fortis, A. H., & Harper, C. G. (2003). Changing trends in heroin-related deaths in Sydney, Australia-1995 to 1999. *American Journal on Addictions*, 12(1), 52-59. <https://www.ncbi.nlm.nih.gov/pubmed/12623740>
- Thomas, E. A., Laws, S. M., Sutcliffe, J. G., Harper, C., Dean, B., McClean, C., . . . Martins, R. N. (2003). Apolipoprotein D levels are elevated in prefrontal cortex of subjects with Alzheimer's disease: no relation to apolipoprotein E expression or genotype. *Biological Psychiatry*, 54(2), 136-141. <https://www.ncbi.nlm.nih.gov/pubmed/12873803>
- 2002**
- Blair, I. P., Adam, L. J., Badenhop, R. F., Moses, M. J., Scimone, A., Morris, J. A., . . . Schofield, P. R. (2002). Stylized transcript map of chromosome 4q35 encompassing the locus for a bipolar disorder susceptibility gene. *Molecular Psychiatry*, 7(7), 669. <https://www.ncbi.nlm.nih.gov/pubmed/12192607>
- Blair, I. P., Adams, L. J., Badenhop, R. F., Moses, M. J., Scimone, A., Morris, J. A., . . . Schofield, P. R. (2002). A transcript map encompassing a susceptibility locus for bipolar affective disorder on chromosome 4q35. *Molecular Psychiatry*, 7(8), 867-873. <https://www.ncbi.nlm.nih.gov/pubmed/12232780>
- Clark, I., & Awburn, M. (2002). Migration inhibitory factor in the cerebral and systemic endothelium in sepsis and malaria. *Critical Care Medicine*, 30(5 Suppl), S263-267. <https://www.ncbi.nlm.nih.gov/pubmed/12004246>
- Dean, B. (2002). Understanding the pathology of schizophrenia: recent advances from the study of the molecular architecture of postmortem CNS tissue. *Postgraduate Medical Journal*, 78(917), 142-148. <https://www.ncbi.nlm.nih.gov/pubmed/11884695>
- Laws, S. M., Hone, E., Taddei, K., Harper, C., Dean, B., McClean, C., . . . Martins, R. N. (2002). Variation at the APOE -491 promoter locus is associated with altered brain levels of apolipoprotein E. *Molecular Psychiatry*, 7(8), 886-890. <https://www.ncbi.nlm.nih.gov/pubmed/12232782>
- Mayfield, R. D., Lewohl, J. M., Dodd, P. R., Herlihy, A., Liu, J., & Harris, R. A. (2002). Patterns of gene expression are altered in the frontal and motor cortices of human alcoholics. *Journal of Neurochemistry*, 81(4), 802-813. <https://www.ncbi.nlm.nih.gov/pubmed/12065639>
- Sarris, M., Garrick, T. M., Sheedy, D., & Harper, C. G. (2002). Banking for the future: an Australian experience in brain banking. *Pathology*, 34(3), 225-229. <https://www.ncbi.nlm.nih.gov/pubmed/12109781>
- Zavitsanou, K., & Huang, X. F. (2002). Decreased [(3)H]spiperone binding in the anterior cingulate cortex of schizophrenia patients: an autoradiographic study. *Neuroscience*, 109(4), 709-716. <https://www.ncbi.nlm.nih.gov/pubmed/11927153>
- Zavitsanou, K., Ward, P. B., & Huang, X. F. (2002). Selective alterations in ionotropic glutamate receptors in the anterior cingulate cortex in schizophrenia.

Neuropsychopharmacology, 27(5), 826-833.

<https://www.ncbi.nlm.nih.gov/pubmed/12431856>

2001

Campbell, B. C., McLean, C. A., Culvenor, J. G., Gai, W. P., Blumbergs, P. C., Jakala, P., . . . Li, Q. X. (2001). The solubility of alpha-synuclein in multiple system atrophy differs from that of dementia with Lewy bodies and Parkinson's disease. *Journal of Neurochemistry*, 76(1), 87-96. <https://www.ncbi.nlm.nih.gov/pubmed/11145981>

Dean, B. (2001). A predicted cortical serotonergic/cholinergic/GABAergic interface as a site of pathology in schizophrenia. *Clin Exp Pharmacol Physiol*, 28(1-2), 74-78.

<https://www.ncbi.nlm.nih.gov/pubmed/11153542>

<https://onlinelibrary.wiley.com/doi/pdfdirect/10.1046/j.1440-1681.2001.03401.x?download=true>

Dean, B., & Hussain, T. (2001). Studies on dopaminergic and GABAergic markers in striatum reveals a decrease in the dopamine transporter in schizophrenia. *Schizophrenia Research*, 52(1-2), 107-114. <https://www.ncbi.nlm.nih.gov/pubmed/11595397>

Dixon, G., & Harper, C. G. (2001). Quantitative analysis of glutamic acid decarboxylase-immunoreactive neurons in the anterior thalamus of the human brain. *Brain Research*, 923(1-2), 39-44. <https://www.ncbi.nlm.nih.gov/pubmed/11743970>

Fan, L., Jaquet, V., Dodd, P. R., Chen, W., & Wilce, P. A. (2001). Molecular cloning and characterization of hNP22: a gene up-regulated in human alcoholic brain. *Journal of Neurochemistry*, 76(5), 1275-1281.

<https://www.ncbi.nlm.nih.gov/pubmed/11238712>

Lewohl, J. M., Dodd, P. R., Mayfield, R. D., & Harris, R. A. (2001). Application of DNA microarrays to study human alcoholism. *Journal of Biomedical Science*, 8(1), 28-36.

<https://www.ncbi.nlm.nih.gov/pubmed/11173973>

Matsumoto, I., Wilce, P. A., Buckley, T., Dodd, P., Puzke, J., Spanagel, R., . . . Schmidt, L. G. (2001). Ethanol and gene expression in brain. *Alcoholism, Clinical and Experimental Research*, 25(5 Suppl ISBRA), 82S-86S.

<https://www.ncbi.nlm.nih.gov/pubmed/11391055>

<https://onlinelibrary.wiley.com/doi/pdfdirect/10.1111/j.1530-0277.2001.tb02379.x?download=true>

Tooney, P. A., Crawter, V. C., & Chahl, L. A. (2001). Increased tachykinin NK(1) receptor immunoreactivity in the prefrontal cortex in schizophrenia. *Biological Psychiatry*, 49(6), 523-527. <https://www.ncbi.nlm.nih.gov/pubmed/11257237>

2000

Buckley, S. T., Eckert, A. L., & Dodd, P. R. (2000). Expression and distribution of GABAA receptor subtypes in human alcoholic cerebral cortex. *Annals of the New York Academy of Sciences*, 914, 58-64. <https://www.ncbi.nlm.nih.gov/pubmed/11085308>

Dixon, G., Dissanaik, S., & Harper, C. G. (2000). Parvalbumin-immunoreactive neurons in the human anteroventral thalamic nucleus. *Neuroreport*, 11(1), 97-101.

<https://www.ncbi.nlm.nih.gov/pubmed/10683838>

Dodd, P. R., Beckmann, A. M., Davidson, M. S., & Wilce, P. A. (2000). Glutamate-mediated transmission, alcohol, and alcoholism. *Neurochemistry International*, 37(5-6), 509-533. <https://www.ncbi.nlm.nih.gov/pubmed/10871702>

- Garrick, T. M., Sheedy, D., Abernethy, J., Hodda, A. E., & Harper, C. G. (2000). Heroin-related deaths in Sydney, Australia. How common are they? *American Journal on Addictions*, 9(2), 172-178. <https://www.ncbi.nlm.nih.gov/pubmed/10934579>
- Le Corre, S., Harper, C. G., Lopez, P., Ward, P., & Catts, S. (2000). Increased levels of expression of an NMDAR1 splice variant in the superior temporal gyrus in schizophrenia. *Neuroreport*, 11(5), 983-986. <https://www.ncbi.nlm.nih.gov/pubmed/10790868>
- Lewohl, J. M., Wang, L., Miles, M. F., Zhang, L., Dodd, P. R., & Harris, R. A. (2000). Gene expression in human alcoholism: microarray analysis of frontal cortex. *Alcoholism, Clinical and Experimental Research*, 24(12), 1873-1882. <https://www.ncbi.nlm.nih.gov/pubmed/11141048>
- Tooney, P. A., Au, G. G., & Chahl, L. A. (2000a). Localisation of tachykinin NK1 and NK3 receptors in the human prefrontal and visual cortex. *Neuroscience Letters*, 283(3), 185-188. <https://www.ncbi.nlm.nih.gov/pubmed/10754218>
- Tooney, P. A., Au, G. G., & Chahl, L. A. (2000b). Tachykinin NK1 and NK3 receptors in the prefrontal cortex of the human brain. *Clin Exp Pharmacol Physiol*, 27(11), 947-949. <https://www.ncbi.nlm.nih.gov/pubmed/11071316>